

SAMSUNG

Go beyond the typical P25 LMR network.

Presenting the Galaxy XCover Pro / BeOn® P25 Push-to-Talk solution

Add Galaxy XCover Pro smartphones powered by the BeOn application from L3Harris (L3H), and you have a rugged, versatile and cost-effective communications solution. You can also add it to an existing L3H LMR network, while adding features like texting and location-sharing between compatible smartphones. The Galaxy XCover Pro features an integrated PTT button for quick communications. And the ruggedized smartphone means reliable performance in even the harshest environments.



A cost-effective solution

The XCoverPro is a cost-effective solution for providing communications to LMR networks over LTE and Wi-Fi.



Get LMR features on the XCoverPro, provided by BeOn

Get group call, end-to-end encryption and emergency call. Plus you can text and share real-time location info.



Stay connected through LTE and Wi-Fi

Connect with LTE, and when there's no cell coverage, you can still communicate using any available Wi-Fi network.




Easy desktop management

The BeOn Windows Client allows administrators to maintain communications while working from their desktop or laptop computer.

samsung.com/galaxyforbusiness



Galaxy XCover Pro | BeOn P25 PTT Solution



Galaxy XCover Pro | BeOn P25 PTT Solution

Specifications	Galaxy XCover Pro	
Part Numbers	Unlocked: SM-G715UKDXAA AT&T: SM-G715AZKDATT Verizon: SM-G715UKDVZW	
Color	Black	
Operating System	Android 10.0 (Q)	
CPU	Exynos 9611	
Processor	Quad 2.3GHz + Quad 1.7GHz Octa Core	
Memory ¹	4GB RAM	
Storage ^{2,3}	64GB, Expandable to 512GB with microSD	
Display	Screen Size 6.3" / FHD+TFT, Gorilla Glass 5	
Display Resolution	2340 x 1080 (Infinity-O)	
Certifications	FIPS and CC certification	
Network	LTE: Cat 11 (3CA), Band 48 (Private LTE)	
Dimensions	6.3" H x 3.0" W x 0.40" D, 7.65 oz.	
Camera	Rear	25/8MP (Ultra-Wide) w/Dual LED Flash
	Front	13MP
Battery ⁴	4,050 mAh (Replaceable)	
Charging	Fast Charging (15W), Pogo Charging	
IP Rating ^{5,6}	IP68, Rugged (MIL-STD-810G compliant, 1.5m Drop)	
USB	Type-C, USB 2.0	
Connectivity	Bluetooth 5.0, Wi-Fi a/b/g/n/ac/k/v/r/w/u/i/e/h, 2.4/5GHz, Wi-Fi Direct, GPS	
NFC	UICC eSE Yes	
SIM	Dual SIM	
Biometric	Fingerprint (Side)	
Sensor	Accelerometer, Proximity, Gyro, Compass	
Dedicated Keys	Two Additional Programmable Buttons (PTT, Scan)	

Device Layout

1. Programmable Button
2. 13MP Front-Facing Camera
3. AMOLED Corning Gorilla Glass with Enhanced Touch
4. 25/8MP (Ultra-Wide) Camera with Dual LED Flash
5. Dual Sim Capabilities
6. 4,050mAh Replaceable Battery
7. Push to Talk Programmable Button
8. Volume Buttons
9. Fingerprint Scanner
10. POGO Pin
11. USB-C



BeOn P25 PTT Application Features

Calls, Texts and Alerts

BeOn text messaging
Group voice call
Individual voice call
Announcement group calls
Late call entry
P25 confirmed call
Instant recall/call logging

Safety and Security

Full AES end-to-end encryption
Distress indication
Location privacy
User presence indication
P25 OTAR key management

Management

Display location of LMR radios
Group location
Talkgroup scanning
Console/supervisory override
Console patch/simulselect
Priority/preemptive support



BeOn also performs flawlessly with the Galaxy Tab Active Pro rugged device.

Learn More samsung.com/galaxyforbusiness insights.samsung.com samsung.com/XCoverPro

Product Support 1-866-SAM4BIZ Follow Us youtube.com/samsungbizusa [@SamsungBizUSA](https://twitter.com/SamsungBizUSA)

SAMSUNG | **L3HARRIS™**

©2021 Samsung Electronics America, Inc. Samsung, Galaxy, XCover Pro, XCover FieldPro and Tab Active Pro are trademarks of Samsung Electronics Co., Ltd. BeOn is registered trademark of L3Harris Technologies, Inc. Other company names, product names and marks mentioned herein are the property of their respective owners and may be trademarks or registered trademarks. Appearance of devices may vary. Screen images simulated. Printed in U.S.A. HHP-PS-XCOVERPRO-L3HARRIS-FLYER-JUL21T

¹Total amount of available memory may be less based on configuration. ²Portion of storage occupied by existing content. ³MicroSD card sold separately. ⁴Based on average battery life under typical usage conditions. Average expected performance based on typical use. Actual battery life depends on factors such as network, features selected, frequency of calls, and voice, data, and other application-usage patterns. Based on laboratory testing. Results may vary. ⁵Water-resistant in up to 5 feet of water for up to 30 minutes. Rinse residue/dry after wet. ⁶This device passed military specification (MIL-STD-810G) testing against a subset of 10 specific conditions, including drops from 4.9 feet, extreme temperatures, dust, shock/vibration, and low pressure/high altitude.