
HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor







Now see everything.

• Get great 178-degree viewing angles and stunning color integrity from In-Plane Switching (IPS) technology. Accurately view sharp images and consistent color from almost any angle—with less distortion than conventional TN (Twisted Nematic) panels.

Stay the course.

• Keep the 5:4 aspect ratio that your business-specific enterprise and public sector applications are designed to work with. Enjoy ample space for all your tasks on the 18.89-inch diagonal screen.

Power through your day in comfort.

• Find your most comfortable viewing position with customizable tilt, height adjustment, swivel, and pivot settings.

Help control your environmental impact.

 Reduce power consumption and help lower your costs with an intelligent, energy efficient design that's ENERGY STAR[®] qualified and EPEAT[®] 2019 registered.¹



HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor Specifications Table







| Display size (diagonal) | 18.9" |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brightness | 250 cd/m ²¹ |
| Contrast ratio | 1000:1 static; 3000000:1 dynamic ¹ |
| Response Ratio | 8 ms gray to gray ¹ |
| Product colour | Meteorite bezel, black chassis/stand |
| Aspect ratio | 5:4 |
| Native resolution | 1280 x 1024 |
| Resolutions supported | 1280 x 1024; 1280 x 800; 1024 x 768; 800 x 600; 720 x 400; 640 x 480 |
| Display features | Anti-glare; Anti-static; In plane switching; Language selection; On-screen controls; Plug and Play; User programmable |
| User controls | Menu; Minus ("-"); Plus ("+"); OK; Power |
| Input signal | 1 VGA; 1 DVI-D; 1 DisplayPort |
| Ports and Connectors | 3 USB 2.0 (one upstream, two downstream) |
| Environmental | Operating temperature: 0 to 40°C; Operating humidity: 15 to 80% RH |
| Power | Input voltage: 100 to 240 VAC |
| Power consumption | 28 W (maximum), 25 W (typical), < 0.5 W (standby) |
| Dimensions | 16.4 x 1.8 x 13.6 in; 41.7 x 4.7 x 34.7 cm |
| Weight | 10.8 lb; 4.9 kg |
| Physical security features | Security Lock-ready |
| Energy efficiency compliance | ENERGY STAR [®] certified; EPEAT [®] 2019 registered |
| Certification and compliance | TCO Certified; CECP eco label (China Energy Conservation Program); SEPA eco label (China); TGM eco label(Taiwan Green Mark); EuP lot6 Tier2; China Energy Label (CEL); China MEPS; Korea MEPS (E-standby); ISO 9241-307; Requirements; CSA 60950-1; UL 60950-1; EN55022 Class B; EN60950 -1; CNS 13438 Class B; IEC 60950-1; GS Mark; TUV Approvals; VCCI Approvals; KC and KCC (Korean) Requirements; CE Marking; FCC Part 15 class B Approval; CCC; IT ECO (EDS); EN55024 Class B; CISPR Requirements; SmartWay - NA only - Energy logistics |
| Environmental specifications ² | Mercury-free display backlights; Arsenic-free display glass; Low halogen |
| What's in the box | Monitor; VGA cable; DisplayPort cable (select regions); USB cable; Warranty card and CD; Monitor driver (ICM/INF); Auto adjustment pattern utility software; Adobe Acrobat Reader software; HP Display Assistant software |
| Expansion Solutions | Your ideal compact, space saving configuration begins with a HP EliteDisplay E190i monitor combined with an HP Integrated Work Center Stand - USDT/Thin Clients (LH526AA) with attached Ultra Slim Desktop or Thin Client PC for a small footprint, All-in- Two form factor. |
| Warranty | 3 year limited warranty including 3 year of parts and labour. Certain restrictions and exclusions apply. |
| | |

HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor

Messaging Footnotes

¹ EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.

² External power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.
⁴ HP Care Pack Services are sold separately. Service levels and response times for HP Care Pack Services may vary depending on your geographic location. Service starts from date of hardware purchase. Restrictions and limitations apply. See www.hp.com/go/cpc for details.

Technical Specifications Footnotes

¹ All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. ² External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

Sign up for updates hp.com/go/getupdated

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



DisplayPort[™] and the DisplayPort[™] logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. ENERGY STAR is a registered trademark owned by the U.S. Environmental Protection Agency. Acrobat[®] is a trademark of Adobe Systems Incorporated. 4AA7-6435, 2020 March 10