



Great Products, Great People.



Office Technology Product Overview

North America

HSM SECURIO Document Shredders – Small Office

Stylish elegance for the office with the highest level of quality – Made in Germany. Whether you choose a C series for the home office, B series for the workplace, the P series for professional use or the AF series with automatic paper feed – you are on the safe side with HSM SECURIO shredders!



SECURIO C14



SECURIO C16



SECURIO C18



SECURIO B22



SECURIO B24

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|-------------|----------------|--------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|-----------------------------|
| SECURIO C14 | 2250113 | 1/8" strip-cut | 10 - 12 | 5.3 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM QO TAA |
| | 2253113 | 5/32" x 1" cross-cut | 5 - 6 | 5.3 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO TAA |
| SECURIO C16 | 1901113 | 1/8" strip-cut | 12 - 15 | 6.6 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM QO ST TAA |
| | 1900113 | 1/4" strip-cut | 15 - 18 | 6.6 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM QO ST TAA |
| | 1902113 | 5/32" x 1" cross-cut | 6 - 7 | 6.6 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO ST TAA |
| SECURIO C18 | 1911123 | 1/4" strip-cut | 17 - 20 | 6.6 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM QO ST TAA |
| | 1913123 | 5/32" x 1" cross-cut | 9 - 11 | 6.6 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO ST TAA |
| | 1912123 | 1/16" x 9/16" micro-cut | 7 - 9 | 6.6 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM QO ST TAA |
| SECURIO B22 | 1830123 | 1/8" strip-cut | 13 - 18 | 8.7 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST TAA |
| | 1831123 | 1/4" strip-cut | 17 - 24 | 8.7 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST TAA |
| | 1833123 | 1/8" x 1 1/8" cross-cut | 11 - 14 | 8.7 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST TAA |
| | 1832123 | 1/16" x 9/16" micro-cut | 8 - 11 | 8.7 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST TAA |
| SECURIO B24 | 1780113 | 1/8" strip-cut | 19 - 24 | 9.25 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1781113 | 1/4" strip-cut | 25 - 30 | 9.25 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1783113 | 3/16" x 1 1/8" cross-cut | 14 - 19 | 9.25 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1782113 | 1/16" x 9/16" micro-cut | 9 - 13 | 9.25 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |

DE Made in Germany

LW Lifetime Warranty on Steel Cutting Rollers

AJ Anti-Jam Technology

CD Continuous Duty Motor

EM Energy Management Control System

QO Quiet Operation

ST Quality Solid Steel Precision Cutting Heads

CS Comprehensive Safety System

TAA TAA Compliant

HS High Security Solution

HSM SECURIO Document Shredders – Office | Large Office

Excellent environmental consideration! Low energy consumption, durable design and the avoidance of materials that are harmful to the environment characterize HSM shredders. These were the reasons for awarding the HSM document shredders with the Blue Angel certification.



SECURIO B26



SECURIO B32



SECURIO B34



SECURIO B35

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|-------------|----------------|--------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|-----------------------------|
| SECURIO B26 | 1800113 | 1/8" strip-cut | 19 - 24 | 14.5 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1801113 | 1/4" strip-cut | 25 - 30 | 14.5 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1803113 | 3/16" x 1 1/8" cross-cut | 14 - 19 | 14.5 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1802113 | 1/16" x 9/16" micro-cut | 9 - 13 | 14.5 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO B32 | 1820113 | 1/8" strip-cut | 19 - 24 | 21.7 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1821113 | 1/4" strip-cut | 25 - 30 | 21.7 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1823113 | 3/16" x 1 1/8" cross-cut | 14 - 19 | 21.7 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1822113 | 1/16" x 9/16" micro-cut | 9 - 13 | 21.7 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO B34 | 1840113 | 1/8" strip-cut | 25 - 30 | 26.4 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1841113 | 1/4" strip-cut | 30 - 37 | 26.4 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1843113 | 3/16" x 1 1/8" cross-cut | 20 - 24 | 26.4 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1842113 | 1/16" x 9/16" micro-cut | 13 - 16 | 26.4 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO B35 | 1920113 | 1/8" strip-cut | 26 - 32 | 34.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1921113 | 1/4" strip-cut | 35 - 42 | 34.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1923113 | 3/16" x 1 1/8" cross-cut | 21 - 26 | 34.3 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1922113 | 1/16" x 9/16" micro-cut | 14 - 18 | 34.3 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |

- Made in Germany
- Lifetime Warranty on Steel Cutting Rollers
- Anti-Jam Technology
- Continuous Duty Motor
- Energy Management Control System
- Quiet Operation
- Quality Solid Steel Precision Cutting Heads
- Comprehensive Safety System
- TAA Compliant
- High Security Solution

HSM SECURIO Document Shredders – Department | Autofeed

HSM SECURIO AF Autofeed shredders with Nanogrip Technology combine functionality and ease of use. A specially developed intake and transport rollers which use Nanogrip Technology enables sheet after sheet to be pulled in securely from the stack of paper.



| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|---------------|----------------|--------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|-----------------------------|
| SECURIO P36i | 1850121 | 1/8" strip-cut | 34 - 39 | 38.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1851121 | 1/4" strip-cut | 43 - 49 | 38.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1853121 | 3/16" x 1 1/8" cross-cut | 27 - 31 | 38.3 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1852121 | 1/16" x 9/16" micro-cut | 16 - 20 | 38.3 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO P40i | 1880121 | 1/8" strip-cut | 44 - 47 | 40 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1881121 | 1/4" strip-cut | 56 - 60 | 40 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD QO ST CS TAA |
| | 1883121 | 3/16" x 1 1/8" cross-cut | 34 - 37 | 40 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 1882121 | 1/16" x 9/16" micro-cut | 19 - 24 | 40 | 4 | P-5 / O-4 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO P44i | 1870123 | 1/8" strip-cut | 61 - 63 | 55 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD ST CS TAA |
| | 1871123 | 1/4" strip-cut | 77 - 79 | 55 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW AJ EM CD ST CS TAA |
| | 1873123 | 3/16" x 2" cross-cut | 43 - 46 | 55 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD ST CS TAA |
| | 1872123 | 1/16" x 9/16" micro-cut | 25 - 30 | 55 | 4 | P-5 / O-4 / T-5 / E-4 / F-2 | | DE LW AJ EM CD ST CS TAA |
| SECURIO AF100 | 2063113 | 5/32" x 1" cross-cut | 5 - 6 100 autofeed | 6.6 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO ST CS TAA |
| SECURIO AF150 | 2083113 | 3/16" x 1 1/8" cross-cut | 8 - 19 150 autofeed | 9.25 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 2082113 | 1/16" x 9/16" cross-cut | 6 - 13 150 autofeed | 9.25 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO AF300 | 2093123 | 3/16" x 1 1/8" cross-cut | 12 - 19 300 autofeed | 9.25 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 2092123 | 1/16" x 9/16" cross-cut | 8 - 13 300 autofeed | 9.25 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |
| SECURIO AF500 | 2103113 | 3/16" x 1 1/8" cross-cut | 14 - 19 500 autofeed | 21.7 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE LW AJ EM CD QO ST CS TAA |
| | 2102113 | 1/16" x 9/16" cross-cut | 9 - 13 500 autofeed | 21.7 | 4 | P-5 / T-5 / E-4 / F-2 | | DE LW AJ EM CD QO ST CS TAA |

DE Made in Germany

LW Lifetime Warranty on Steel Cutting Rollers

AJ Anti-Jam Technology

CD Continuous Duty Motor

EM Energy Management Control System

QO Quiet Operation

ST Quality Solid Steel Precision Cutting Heads

CS Comprehensive Safety System

TAA TAA Compliant

HS High Security Solution

HSM Pure Document Shredders – Small Office | Office | Large Office

The innovative document shredder series HSM Pure is not only the epitome of reliability because of its proven “Made in Germany” quality and solid construction, but also convinces with its timeless modern design and easy operation. An optimal combination of traditional and modern – as a compact unit next to the desk or as a powerful document shredder for working groups and entire departments. Document shredders from the HSM Pure series are the perfect companion for data protection.



Pure 120 Pure 220 Pure 320 Pure 420 Pure 530 Pure 630 Pure 740 Pure 830 Pure 940

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|--------------|----------------|--------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|-----------------------------|
| Pure 120 | 2310113 | 1/8" strip-cut | 10 - 14 | 5.3 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM QO CS TAA |
| | 2313113 | 5/32" x 1" cross-cut | 5 - 7 | 5.3 | 3 | P-4 / T-4 E-3 / F-1 | | DE LW AJ EM QO CS TAA |
| Pure 220 | 2320113 | 1/8" strip-cut | 11 - 15 | 5.3 | 2 | P-2 / T-2 / E-2 | | DE LW AJ EM QO CS TAA |
| | 2323113 | 5/32" x 1" cross-cut | 6 - 8 | 5.3 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO CS TAA |
| Pure 320 | 2331123 | 1/4" strip-cut | 17 - 19 | 6.6 | 2 | P-2 / O-2 T-2 / E-2 | | DE LW AJ EM QO CS TAA |
| | 2333123 | 1/8" x 1 1/8" cross-cut | 8 - 9 | 6.6 | 3 | P-4 / T-4 / E-3 / F-1 | | DE LW AJ EM QO CS TAA |
| Pure 420 | 2341113 | 1/4" strip-cut | 22 - 24 | 9.2 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2343113 | 3/16" x 1 1/8" cross-cut | 13 - 16 | 9.2 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 530 | 2351113 | 1/4" strip-cut | 25 - 30 | 21 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2353113 | 3/16" x 1 1/8" cross-cut | 14 - 18 | 21 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 630 | 2361113 | 1/4" strip cut | 39 - 42 | 34.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2363113 | 3/16" x 1 1/8" cross-cut | 24 - 27 | 34.3 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 740 | 2371113 | 1/4" strip-cut | 35 - 42 | 38.3 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2373113 | 3/16" x 1 1/8" cross-cut | 24 - 27 | 38.3 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 740 max | 2373113X | 3/16" x 1 1/8" cross-cut | 24 - 27 | 63.4 | 3 | P-4 | | DE LW CD AJ EM QO ST CS TAA |
| | 2372113X | 1/16" x 9/16" cross-cut | 16 - 18 | 63.4 | 4 | P-5 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 830 | 2380133 | 1/8" strip-cut | 39 - 49 | 39.6 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2383133 | 3/16" x 1 1/8" cross-cut | 24 - 41 | 39.6 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |
| Pure 940 | 2391133 | 1/8" strip-cut | 65 - 67 | 43.5 | 2 | P-2 / O-2 / T-2 / E-2 | | DE LW CD AJ EM QO ST CS TAA |
| | 2393133 | 3/16" x 1 1/8" cross-cut | 39 - 41 | 43.5 | 3 | P-4 / O-3 / T-4 E-3 / F-1 | | DE LW CD AJ EM QO ST CS TAA |

- Made in Germany
- Lifetime Warranty on Steel Cutting Rollers
- Anti-Jam Technology
- Continuous Duty Motor
- Energy Management Control System
- Quiet Operation
- Quality Solid Steel Precision Cutting Heads
- Comprehensive Safety System
- TAA Compliant
- High Security Solution

HSM shredstar Entry-level Document Shredders

Entry-level shredders ideal for a home office or desk-side use. With their excellent price/performance ratio and user-friendly functions, HSM shredstar models shred small amounts of confidential data and documents securely and reliably. They can even shred discs, CDs and DVDs as well as credit/store cards.



shredstar X5



shredstar X8



shredstar S10



shredstar X6pro



shredstar X10



shredstar X12



shredstar X12pro



shredstar X14



shredstar X17



shredstar X20



shredstar S25

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|------------------|----------------|---------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|---------------------|
| shredstar X5 | 1043123 | 3/16" x 1 1/8" cross-cut | 5 | 4.8 | 3 | P-4 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar X8 | 1044123 | 3/16" x 1 1/8" cross-cut | 8 | 4.8 | 3 | P-4 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar S10 | 1042123 | 1/4" strip-cut | 10 | 4.8 | 2 | P-2 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar X6pro | 1046113 | 1/16" x 5/8" micro-cut | 6 | 5.3 | 4 | P-5 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar X10 | 1045113 | 3/16" x 1 1/8" cross-cut | 10 | 5.3 | 3 | P-4 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar X12 | 1059113 | 5/32" x 1 7/16" cross-cut | 12 | 31.4 | 4 | P-4 / O-1 / T-2 / E-2 / F-1 | | AJ QO |
| shredstar X12pro | 1033123 | 1/16" x 5/8" micro-cut | 12 | 6.1 | 3 | P-5 / O-1 / T-1 / E-2 | | AJ QO |
| shredstar X14 | 1057123 | 5/32" x 1 7/16" cross-cut | 14 | 6.1 | 3 | P-4 / O-1 / T-2 / E-2 / F-1 | | AJ QO |
| shredstar X17 | 1030133 | 5/32" x 1 7/16" cross-cut | 17 | 6.9 | 3 | P-4 / O-1 / T-2 / E-2 / F-1 | | AJ QO |
| shredstar X20 | 1051123 | 5/32" x 1 7/16" cross-cut | 20 | 6.9 | 3 | P-4 / O-1 / T-2 / E-2 / F-1 | | AJ QO |
| shredstar S25 | 1031123 | 1/4" strip-cut | 25 | 6.9 | 2 | P-2 / O-1 / T-2 / E-2 | | AJ QO |

DE Made in Germany

EM Energy Management Control System

TAA TAA Compliant

LW Lifetime Warranty on Steel Cutting Rollers

QO Quiet Operation

HS High Security Solution

AJ Anti-Jam Technology

ST Quality Solid Steel Precision Cutting Heads

CD Continuous Duty Motor

CS Comprehensive Safety System

HSM SECURIO Level 5 Document Shredders

The HSM SECURIO Level 5 is considered environmentally excellent with low energy consumptions and its "Made in Germany" quality.



| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|------------------------------|----------------|-------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|--------------------------|
| SECURIO B24 L5 | 1785113 | 1/32" x 7/16" HS P-6 | 7 | 9.25 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO B26 L5 | 1805113 | 1/32" x 7/16" HS P-6 | 7 | 14.5 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO B32 L5 | 1825113 | 1/32" x 7/16" HS P-6 | 7 | 21.7 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO B34 L5 | 1845113 | 1/32" x 7/16" HS P-6 | 8 - 9 | 26.4 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO B35 L5 | 1925113 | 1/32" x 7/16" HS P-6 | 9 | 34.3 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO P36i L5 [^] | 1855121 | 1/32" x 7/16" HS P-6 | 11 - 13 | 38.3 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO P40i L5 [^] | 1885121 | 1/32" x 7/16" HS P-6 | 13 - 15 | 38.3 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO P44i L5 [^] | 1875123 | 1/32" x 7/16" HS P-6 | 17 - 19 | 55 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO AF150 L5 | 2085113 | 1/32" x 7/16" HS P-6 | 5 - 7 150 autofeed | 9.25 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO AF300 L5 | 2095123 | 1/32" x 7/16" HS P-6 | 6 - 7 300 autofeed | 9.25 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |
| SECURIO AF500 L5 | 2105113 | 1/32" x 7/16" HS P-6 | 6 - 7 500 autofeed | 21.7 | 5 | P-6 / F-3 | | DE AJ EM CD QO ST CS TAA |

*Includes an external oiler ^Includes an internal oiler +Pending approval

- Made in Germany
- Lifetime Warranty on Steel Cutting Rollers
- Anti-Jam Technology
- Continuous Duty Motor
- Energy Management Control System
- Quiet Operation
- Quality Solid Steel Precision Cutting Heads
- Comprehensive Safety System
- TAA Compliant
- High Security Solution

HSM SECURIO High Security Document Shredders

High Security

Specially developed to meet the needs of government agencies, HSM High Security Level 6 shredders guarantee the highest level of security for the destruction of highly confidential documents. NSA-EPL listed, these machines are TAA compliant and meet DOD & NSA/CSS 02-01 & 04-02 mandatory security requirements.



Classic 125.2 L6 Classic 225.2 L6 Classic 390.3 L6 Classic 411.2 L6 Classic 411.2 OMDD SECURIO B24 L6 SECURIO B32 L6 SECURIO B34 L6



SECURIO P36i L6 SECURIO P36i L6 OMDD SECURIO P40i L6 SECURIO P40i L6 OMDD SECURIO P44i L6 SECURIO P44i L6 OMDD

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|------------------------|----------------|--------------------------|-----------------------------------|------------------------|----------------------------|------------------------------|----------------------|-----------------------------|
| Classic 125.2 L6* | 15621730 | 1/32" x 3/16" cross-cut | 5 - 7 | 20 | 6 | P-7 / F-3 | | DE AJ CD HS QO ST CS TAA |
| Classic 225.2 L6* | 14581330 | 1/32" x 3/16" cross-cut | 10 - 12 | 31.7 | 6 | P-7 / F-3 | | DE AJ CD HS QO ST CS TAA |
| Classic 390.3 L6* | 16601430 | 1/32" x 3/16" cross-cut | 10 - 12 | 39 | 6 | P-7 / F-3 | | DE AJ CD HS QO ST CS TAA |
| Classic 411.2 L6* | 15641730 | 1/32" x 3/16" cross-cut | 14 - 16 | 38.5 | 6 | P-7 / F-3 | | DE AJ CD HS QO ST CS TAA |
| Classic 411.2 OMDD | 1570173 | 0.86" x 0.157" cross-cut | 2,500 items/hr | 38.5 | 6 | O-5 / T-6 / E-5 | | DE AJ CD HS QO ST CS TAA |
| SECURIO B24 L6* | 17841130 | 1/32" x 3/16" cross-cut | 4 - 5 | 9.25 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO B32 L6+* | 18241130 | 1/32" x 3/16" cross cut | 4 - 5 | 21.7 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO B34 L6* | 18441130 | 1/32" x 3/16" cross-cut | 6 - 7 | 26.4 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P36i L6^ | 1854123 | 1/32" x 3/16" cross-cut | 9 - 10 | 38.3 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P36i L6 OMDD^ | 1854123M | 1/32" x 3/16" cross-cut | 9 - 10 2,500 items/hr OMDD | 38.3 | 6 | P-7 / O-6 / T-6 / E-5 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P40i L6^+ | 1884121 | 1/32" x 3/16" cross-cut | 10 - 12 | 40 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P40i L6 OMDD^+ | 1884121M | 1/32" x 3/16" cross-cut | 10 - 12 2,500 items/hr OMDD | 40 | 6 | P-7 / O-6 / T-6 / E-5 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P44i L6^+ | 1874123 | 1/32" x 3/16" cross-cut | 12 - 14 | 55 | 6 | P-7 / F-3 | | DE AJ EM CD HS QO ST CS TAA |
| SECURIO P44i L6 OMDD^+ | 1874123M | 1/32" x 3/16" cross-cut | 12 - 14 2,500 items/hr OMDD | 55 | 6 | P-7 / O-6 / T-6 / E-5 / F-3 | | DE AJ EM CD HS QO ST CS TAA |

*Includes an external oiler ^Includes an internal oiler +Pending approval

- Made in Germany
- Lifetime Warranty on Steel Cutting Rollers
- Anti-Jam Technology
- Continuous Duty Motor
- Energy Management Control System
- Quiet Operation
- Quality Solid Steel Precision Cutting Heads
- Comprehensive Safety System
- TAA Compliant
- High Security Solution

HSM Warehouse Management Solutions (WMS)

HSM Warehouse Management Solutions offer a range of innovative and practical machines; all designed to reduce costs, be environmentally friendly and conserve precious warehouse space in the process.

Industrial Shredders + Shredder Baler Combinations

The robust technology of these devices is specifically designed for large throughput and long total operating time. As a top model, the HSM Powerline FA 500.3 processes bound documents and folders with up to 550 sheets per cycle. The powerful large devices are perfect for large archives or as a central station for document shredding.

Shredder-baler combinations – complete, compact disposal stations. Shredding at a security level up to P-5, they press the shredded material into handy bales that can be removed easily. The HSM Shredder Baler Combinations are suitable for destruction of large volumes and professional document shredding.



Powerline 450.2



Powerline FA 400.2



Powerline FA 500.3



Powerline SP 4040



Powerline SP 5080



Powerline SP 5088

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Bin capacity (gallons) | Security level DIN 32757-1 | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|--------------------|----------------|-----------------------------------|----------------------------|------------------------|----------------------------|------------------------------|----------------------|-------------|
| Powerline 450.2 | 1503157 | 1/8" x 1 1/2" cross-cut | 65 - 85 | 76.6 | 3 | P-4 / O-3 / T-4 / E-3 / F-1 | | DE AJ CD ST |
| Powerline FA 400.2 | 1513147 | 1/4" strip-cut | 104 - 130 | 104 | 2 | P-2 / O-2 / T-2 / E-2 | | DE AJ CD ST |
| | 1514147 | 1/4" x 2" cross-cut | 96 - 102 | 104 | 3 | P-3 / O-2 / T-3 / E-2 | | DE AJ CD ST |
| Powerline FA 500.3 | 1992117 | 7/16" x 1 1/2"-3" cross-cut | 500 - 550 | 140 | 2 | P-2 / O-2 / T-2 / E-2 | | DE AJ CD ST |
| | 1990117 | 1/4" x 1 1/2" - 2 3/32" cross-cut | 360 - 410 | 140 | 3 | P-3 / O-2 / T-3 / E-2 | | DE AJ CD ST |
| | 1994117 | 1/8" x 1 1/2" cross-cut | 180 - 240 | 140 | 2 | P-4 / O-3 / T-5 / E-4 / F-1 | | DE AJ CD ST |
| | 1993117 | 1/16" x 9/16" cross-cut | 90 - 130 | 140 | 4 | P-5 / O-4 / T-5 / E-4 / F-2 | | DE AJ CD ST |

| Model | Product number | Cutting size/type | Cutting capacity in sheets | Max bale size (H x W x L) | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|--------------------------------------|----------------|-----------------------------------|----------------------------|---------------------------|------------------------------|----------------------|-------------|
| SP 4040 V Shredder-baler combination | 2513111147 | 1/4" strip-cut | 104 - 130 | 23.6" x 19.6" x 15.7" | P-2 / O-2 / T-2 / E-2 | | DE AJ CD ST |
| | 2514111147 | 1/4" x 2" cross-cut | 96 - 120 | 23.6" x 19.6" x 15.7" | P-3 / O-2 / T-3 / E-2 | | DE AJ CD ST |
| SP 5080 Shredder-baler combination | 2990209137 | 1/4" x 1 1/2" - 2 3/32" cross-cut | 360 - 410 | 22.24" x 19.29" x 31.49" | P-3 / O-2 / T-3 / E-2 | | DE AJ CD ST |
| SP 5088 Shredder-baler combination | 2990414137 | 1/4" x 1 1/2" - 2 3/32" cross-cut | 360 - 410 | 19.68" x 19.68" x 37.4" | P-3 / O-2 / T-3 / E-2 | | DE AJ CD ST |

DE Made in Germany

LW Lifetime Warranty on Steel Cutting Rollers

AJ Anti-Jam Technology

CD Continuous Duty Motor

EM Energy Management Control System

QO Quiet Operation

ST Quality Solid Steel Precision Cutting Heads

CS Comprehensive Safety System

TAA TAA Compliant

HS High Security Solution

HSM Warehouse Management Solutions (WMS)

Vertical Baling Presses

Due to their size, cost efficiency and capacity, HSM's vertical baling presses of the V-Press series are incredibly well-suited for industry, manufacturers and trading alike. With this compact baling press, you can reduce the volume of your on-site packaging material by up to 95 %.



V-Press 610



V-Press 820 plus



Explore further V-Presses and Ware House Solutions on the Website www.hsm.us

| Model | Product number | Feed opening (W x H) | Bale size (L x W x H) | Bale weight in lbs |
|------------------|----------------|----------------------|-----------------------|--------------------|
| V-Press 610 | 6110113 | 32" x 20" | 32" x 24" max. 24" | up to 220 |
| V-Press 820 plus | 6143213 | 47" x 22" | 47" x 31" x max. 39" | up to 550 |

Digital Data Media Shredders

The HSM StoreEx digital data media shredders shred digital and magnetic media (i.e. USB sticks, magnetic tapes, CDs, DVDs and Blu-ray discs, credit cards, loyalty cards and disks) into tiny particles, making recovery practically impossible. Safe and efficient to use, data protection compliant.



StoreEx HDS 150



StoreEx HDS 230



included

| Model | Product number | Cutting size/type | Cutting capacity in items/hr (1 item per pass) | Security level ISO/IEC 21964 | Cutting capabilities | Features |
|--|---------------------------|---------------------------------|--|------------------------------|----------------------|-------------|
| StoreEx HDS 150 | 1772117 20 amp version | 1.5" cross-cut | up to 1200 hard drives 2.5", up to 210 hard drives 3,5" | H-3 / T-1 / E-2 | | DE CD ST |
| | 1772113 30 amp version | 1.5" cross-cut | up to 1200 hard drives 2.5", up to 210 hard drives 3,5" | H-3 / T-1 / E-2 | | DE CD ST |
| StoreEx HDS 230 with waste container | 1778127 | 0.78" x 1.18" - 2" single-stage | up to 1500 hard drives 2.5", up to 360 hard drives 3,5" | H-4 / O-1 / T-2 / E-2 | | DE AJ CD ST |
| | 1777127 | 0.39" x 1" - 1.18" dual-stage | up to 1500 hard drives 2.5", up to 280 hard drives 3,5" | H-5 / O-2 / T-3 / E-2 | | DE AJ CD ST |
| StoreEx HDS 230 with discharge conveyor belt | 1778127F | 0.78" x 1.18" - 2" single-stage | up to 1500 hard drives 2.5", up to 360 hard drives 3,5" | H-4 / O-1 / T-2 / E-2 | | DE AJ CD ST |
| | 1777127F | 0.39" x 1" - 1.18" dual-stage | up to 1500 hard drives 2.5", up to 280 hard drives 3,5" | H-5 / O-2 / T-3 / E-2 | | DE AJ CD ST |

DE Made in Germany

LW Lifetime Warranty on Steel Cutting Rollers

AJ Anti-Jam Technology

CD Continuous Duty Motor

EM Energy Management Control System

QO Quiet Operation

ST Quality Solid Steel Precision Cutting Heads

CS Comprehensive Safety System

TAA TAA Compliant

HS High Security Solution

HSM Warehouse Management Solutions (WMS)

ProfiPack Packaging Machines

HSM ProfiPack cardboard converters turn used & worn-out boxes and cardboard into high quality packaging material that can be reused and recycled. This Warehouse Management solution not only provides cost savings by reducing the frequency of sanitation pickups and minimizes the need to purchase packing peanuts, bubble wrap and other packing material.



| Model | Product number | Cutting material | Infeed height | Cutting capacity | Cutting speed (fpm) | Features |
|-----------------------------------|----------------|------------------|---------------|------------------|---------------------|--------------|
| ProfiPack 400 | 1528137 | cardboard | 0.4" | 1 layer | 26' / min. | DE CD ST TAA |
| ProfiPack 425 single-phase | 1531157 | cardboard | 0.8" | 2-3 layers | up to 33' / min. | DE CD ST TAA |
| ProfiPack 425 three-phase | 1533157 | cardboard | 0.8" | 2-3 layers | 39' / min. | DE CD ST TAA |

Barrel Press, Bottle + Can Crushers

The HSM Barrel Crusher is equipped with a pressing power of 27.5 tons and is well suited for pressing light metal and rolling hoop drums.

HSM PET Bottle and Can Crushers and crusher/ballers puts a cap on crowded warehouse and waste management areas by disposing and crushing between 2,400 - 4,800 plastic bottles and aluminum cans per hour.



| Model | Product number | Machine dimensions (H x W x D) | Bale size (H x W x L) | Output per hour |
|---|----------------|--------------------------------|-----------------------|--|
| FP 3000 | on request | 114" x 46" x 38" | N/A | light metal and/or rolled hoop 50 barrels |
| PET Crusher 1049 SA three-phase | on request | 35" x 31" x 62" | N/A | up to 2,400 bottles/cans |
| PET Crusher 1049 SA single-phase | on request | 35" x 31" x 62" | N/A | up to 2,000 bottles/cans |
| PET Crusher CP 4988 | on request | 71" x 37" x 145" | 20" x 20" x 47" | up to 4,000 bottles/cans |

HSM Consumables

Plastic bags and box inserts

| Product number | For model | Description |
|----------------|--|---|
| 331000001 | B22, 120, 220, 320, 420, all other small machines* | Roll / 100 count - 13" x 10" x 24" - 11 gallons |
| 331000014 | B24, AF150, AF300 | Roll / 100 count - 14" x 8" x 32" - 13 gallons |
| 331000004 | B26, B32, B34, AF500, 530, 125.2 | Roll / 100 count - 18" x 15" x 34" - 34 gallons |
| 331000015 | B35, P36i, P40i, 630, 740, 830, 940, 225.2, 390.3, 411.2 | Roll / 100 count - 21" x 17" x 44" - 58 gallons |
| 331000009 | P44i, 450.2, 1049 SA | Roll / 50 count - 25" x 23" x 45" - 96 gallons |
| 331000007 | 740 max, FA 400.2 (single bin setup) | Roll / 50 count - 36" x 30" x 53" - 212 gallons |
| 331000011 | FA 400.2 (double bin setup) | Roll / 50 count - 23" x 18" x 60" - 92 gallons |
| 31272BOX | 125.2 | Box insert - 20 Gallons |
| 31340BOX | 225.2 | Box insert - 28 Gallons |
| 31365BOX | 390.3 | Box insert - 39 Gallons |
| 31565BOX | 411.2 | Box insert - 38.5 Gallons |
| 31820BOX | B32 | Box insert - 21.7 Gallons |
| 31840BOX | B34 | Box insert - 26.4 Gallons |
| 31850BOX | P36i, P40i | Box insert - 38.3 Gallons |
| 31870BOX | P44i | Box insert - 55 Gallons |
| 2315BOX | Corrugate box insert baler | 20/bundle - 23.75" x 15.75" x 19.35" |
| 331000010 | FA 500.3, KP 100, PET Crusher 1049 SA | Roll/50 count - 27" x 28" x 60" |

*more sizes available, contact HSM Customer Service at 1-800-613-2110 for more information.



Shredder oil

| Product number | Description |
|----------------|---|
| 320000007 | 12 oz. bottle 6 / case |
| 320000003 | 16 oz. bottle 12 / case |
| 320000005 | Gallon bottle 4 / case (includes funnel) |



Strapping tape / Tape clamps

| Product number | For Model | Description |
|----------------|--|--|
| 6205993010 | SP 4988, SP 5088 | Strapping tape WG 30 for shredder baler combinations |
| 6212993010 | V-Press 610, V-Press 820 plus, CP 4988 | WG 40 - 1 Roll - 1640' |
| 6127990101 | V-Press 504, V-Press 820 plus, SP 5088 | Tape clamps, PU 1000 pieces |



Shred Bin Accessories

| Product number | For model | Description |
|----------------|--------------------|---|
| 1070070130 | Shred Containers | Customized ID badges for all shred containers |
| 1070070240 | Executive Consoles | Poly Bag Navy Blue replacement bag - Branding available for additional fee - |

HSM Shred Bin + Carts

Storage for your soon to be shredded documents. HSM shred bin and carts keep sensitive and confidential documents safe until it is time to shred. Perfect for copy rooms or offices that have centralized shredding.



Executive security console
24 in / 20 gallon, Product number: 1070070230
36 in / 30 gallon, Product number: 1070070150



ShredVantage plastic console
29 in / 24 gallon, Product number: 1070070120



Secure collection cart
36.5 in / 32 gallon, Product number: 1070070170
40.5 in / 65 gallon, Product number: 1070070180
44 in / 95 gallon, Product number: 1070070190



Lockable shred bins
24 in / 16 gallon, Product number: 1070070200
27 in / 20 gallon, Product number: 1070070210
30 in / 23 gallon, Product number: 1070070220



Large volume secure collection cart
48 in / 175 gallon
Product number: 1070070100



Secure desk side e-waste collection bin
13.125 in / 9 gallon
Product number: 1070070140



Secure desk side confidential paper bin
13.125 in / 9 gallon
Product number: 1070070110

HSM Security Level according to ISO/IEC 21964 (DIN 66399)

For Paper

Security Level P-1

Typically Strip-Cut, Used for General documents to be rendered illegible and/or destroyed, i.e. old advertising materials such as catalogs, brochures and junk mail.

Security Level P-2

Typically Strip-Cut, Used for Internal documents to be rendered illegible and/or destroyed, i.e. internal company communications, such as out-of-date memos, general email correspondence, travel guidelines, notices, forms, etc.

Security Level P-3

Strip-Cut or Large Cross-Cut, Used for Printed and Digital Media with Sensitive and confidential data as well as personal data subject to high protection requirements, i.e. company sales reports, personal documents as well as quotes, orders, etc. with private address data.

Security Level P-4

Cross-Cut, Used for Printed and Digital Media with Sensitive and confidential data as well as personal data subject to high protection requirements, i.e. balances and conditions as well as paystubs, bank statements, tax documents, work contracts, medical reports/records, etc.

Security Level P-5

Micro-Cut, Used for Printed and Digital Media with Confidential data of fundamental importance for a person, company or institution, i.e. patents, construction documents, strategic papers, business plans, competitor analysis, process documentation.

Security Level P-6

High Security (meets the Canadian government/RCMP destruction standard) Used for Printed and Digital Media with Confidential documentation in the case of extraordinary security precautions i.e. research and development documents, official areas, etc.

Security Level P-7


High Security (meets the NSA Document destruction standard) For strictly confidential data with the highest security precautions. Primarily used by the US governmental agencies in all sectors for data destruction, i.e. the Secret Service, all military sectors, etc.




Security Level P-1




Security Level P-2




Security Level P-3




Security Level P-4



Security Level P-5



Security Level P-6



Security Level P-7



High Security

The reliable HSM High Security Level 6 shredders are Made in Germany.

- Features Anti-Jam Technology that prevents jams when machine is overloaded
- TAA Compliant
- Meets DoD & NSA/CSS 02-01 & 04-02 mandatory security requirements
- Continuous Duty Operations ensures continual shredding with no down time

Cutting Capabilities Key



Staples and paper clips



Credit and customer cards



CDs / DVDs



Discs



USB sticks



Hard drives



Folders



Magnetic tapes

HSM Premium Quality and Innovative Features



Made in Germany

- All HSM SECURIO, Classic, Powerline and StoreX models
- Precision engineering
- TAA compliant



Lifetime Warranty on Solid Steel Cutting Cylinders

- Higher cutting capacity
- Lower power requirements

shredstar Lifetime Warranty on Cutting Rollers

- Superior cutting cylinder design
- Maintains high cutting capacities while using less energy



Continuous Duty Motors

- Allows for continual shredding with no down time
- Longer run time = reduced labor cost
- Increases productivity



Comprehensive Safety System

- UL approved and CE certified
- Up to 10 points of protection to ensure safe operation for both operator and shredder




Quiet Operation

- Engineered to reduce decibel levels when running or idling



Anti-Jam Technology

- Prevents jams when machine is overloaded
- Increases productivity
- Saves unanticipated repair costs



Solid Steel Cutting Heads

- Cutting heads are manufactured from 100 % solid steel
- Maintains high cutting capacities while using less energy



High Security Solutions

- Meets DOD and NSA/CSS 02-01 & 04-02 mandatory security requirements
- EPL listed to ensure that sensitive documents are destroyed at the highest security level

TAA Compliant

- Follows the guidelines put forth in the Trade Agreements Act
- Indicates products were either made in USA or free-trade friendly country



Energy Management Control Systems

- Reduces power consumption by up to as much as 90 %
- Energy saving designed drives and control units
- Reduces operating costs
- Save 90 % on power usage (SECURIO line only)
- Zero Energy stand-by
- Particularly low power consumption of 0.1 watt in stand-by mode with EcoSmart feature



Founder and CEO Hermann Schwelling (center) together with the shareholders Christina Schwelling and Harald Schwelling.

Since 1971, HSM has been pursuing a clear strategy – a consistent commitment to quality Made in Germany.

This product and service quality is the key to success in both the office technology and environmental technology business sectors. As a specialist for products and services for data protection as well as technologies for optimizing logistics and recycling processes, HSM is one of the world's leading providers.

For more information contact your HSM dealer, visit hsm.us or call HSM Customer Service 800.613.2110.



● **Head office and production sites
in Germany**

○ **Subsidiaries**

● **Sales and service points**

HSM of America LLC
419 Boot Road
Downingtown, PA 19335
USA
Tel. +1 800 613 2110
Fax +1 484 698 7978
customerservice@hsmofamerica.com
info@hsm.us
www.hsm.us

All specifications are listed without guarantee. Technical and design modifications reserved.
For latest product specifications visit www.hsm.us