

# **OVERVIEW**



1. USB 3.2 Gen 1	5. USB 3.2 Gen 1
2. HDMI 1.4b	6. Combo audio jack
3. Kensington Nano Security Slot	7. Pen slot
4. USB-C 3.2 Gen 1	



## **PERFORMANCE**

### **Processor**

### **Processor Family**

MediaTek Processor

#### **Processor**

Processor Name	Cores	Threads	Max Frequency	Processor Graphics
MediaTek Kompanio 520	Octa-core: 2x A76 + 6x A55	8	A76@2.05GHz / A55@2.0GHz	ARM Mali-G52 2EE MC2

## **Operating System**

Operating System[1]

ChromeOS

Notes:

1. Some features may not be supported on the system with Linux preload, including but not limited to Intel® RST RAID, MIPI computer vision camera, WWAN, Human Presence Detection, etc.

## **Graphics**

### **Graphics**

Graphics	Туре	Memory	
ARM Mali-G52 2EE MC2 GPU	Integrated	Shared	

## **Monitor Support**

## Monitor Support[1]

Supports up to 2 independent displays (native display and 1 external monitor via USB-C® or HDMI®)

- USB-C supports up to 1920x1080@60Hz
- HDMI supports up to 1920x1080@60Hz

Notes:

1. USB-C is used mutually exclusively with HDMI due to MediaTek platform limitation.

## **Chipset**

#### Chipset

MediaTek SoC (System on Chip) platform

### **Memory**

### **Max Memory**

- · 4GB soldered memory, not upgradable
- 8GB soldered memory, not upgradable

### **Memory Slots**

Memory soldered to systemboard, no slots, dual-channel

## **Memory Type**

- LPDDR4x-3600<sup>[1]</sup>
- LPDDR4x-3733<sup>[2]</sup>

### Notes:

- 1. Installed memory is actually 4266MHz, but may run at 3600MHz depending on the memory support capability of processor.
- 2 . Installed memory is actually 4266MHz, but may run at 3733MHz depending on the memory support capability of processor.

## **Storage**

### Storage Support[1]

- · 32GB eMMC 5.1 on systemboard
- 64GB eMMC 5.1 on systemboard



### **Storage Slot**

eMMC on systemboard, no slots

### Storage Type

Disk Type	Interface	Offering		
Flash Memory	eMMC 5.1	32GB / 64GB		

#### Notes:

1. The storage capacity supported is based on the test results with current Lenovo® storage offerings. The system may support larger storage as the technology develops.

## **Removable Storage**

#### **Card Reader**

No card reader

#### Multi-Media

### **Audio Chip**

High Definition (HD) Audio

#### **Speakers**

Stereo speakers, 2W x2, optimized with Waves MaxxAudio®

### Microphone

- · Single microphone
- Two single microphones

#### Camera

- Front HD 720p, with privacy shutter, fixed focus
- Front HD 720p, with privacy shutter, fixed focus; rear 5.0-megapixel, autofocus

## Sensor

#### Sensors

- Accelerometer (G) sensor
- Gyroscope sensor
- Hall sensor

### **Battery**

#### **Battery**

Integrated Li-Polymer 47Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter

## Max Battery Life[1]

Google power load test: 16 hr

#### Notes:

1. All battery life claims are approximate maximum and based on results using the MobileMark\* 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary and depends on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

## **Power Adapter**

#### Power Adapter[1]

- 45W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 45W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (2-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz

### Notes:

1. AC adapter offerings depend on the country.

### DESIGN



## **Display**

### Display[1][2]

Size	Resolution	Touch	Туре	Brightness	Surface	Aspect Ratio	Contrast Ratio	Color Gamut	Viewing Angle (L/R/U/D)	Key Features
11.6"	HD (1366x768)	Multi- touch	IPS	250 nits	Glossy, anti- fingerprint	16:9	800:1	50% NTSC	85°/85°/85°/85°	Corning® Gorilla® Glass

### **Touchscreen**

Capacitive-type multi-touch, supports 10-point touch

#### Notes:

- California Electronic Waste Recycling Fee In California USA, per state law, Lenovo charges an electronic waste recycling fee on this covered device at the time of sale of the product. For more information, please go to https://www.calrecycle.ca.gov/Electronics/Consumer
- 2. IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

### Multi-mode

#### Multi-mode

Laptop, tent, stand, and tablet modes supported by 360° hinge

### **Input Device**

## Pen

- Lenovo Integrated Pen for 300e/500e Yoga® Chromebook Gen 4, on-board garaged and rechargeable
- No pen (purchase separately)

#### Keyboard

Chrome keyboard, 6-row, spill-resistant, Anti-pick proof keycaps with full skirt design

## **Keyboard Backlight**

Non-backlight

### **Touchpad**

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 60.5 x 104 mm (2.38 x 4.09 inches)

## **Mechanical**

### Dimensions (WxDxH)[1]

287 x 200 x 18.6 mm (11.3 x 7.9 x 0.73 inches)

Weight<sup>[2]</sup>

Around 1.33 kg (2.93 lbs)

Case Color

Graphite grey

**Surface Treatment** 

Texture

Case Material

PC-ABS (top), PC-ABS (bottom)

**Others** 

Buttons: power key, volume key

### Notes:

- 1. The system dimensions may vary depending on configurations.
- 2. The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY



### **Network**

#### **Ethernet**

No onboard Ethernet

WLAN + Bluetooth®[1]

Mediatek Wi-Fi® 6 MT7921, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card

Notes

1. Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

### Ports<sup>[1]</sup>

### **Standard Ports**

- 2x USB 3.2 Gen 1
- 1x USB-C 3.2 Gen 1 (support data transfer, Power Delivery and DisplayPort™)
- 1x HDMI 1.4b
- 1x Headphone / microphone combo jack (3.5mm)

### Notes:

1. The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed. USB 2.0: 480 Mbit/s; USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s; USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s; USB4® 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s; USB4 40Gbps (USB 40Gbps): 40 Gbit/s; Thunderbolt™ 3/4: 40 Gbit/s

## **SECURITY & PRIVACY**

## **Security**

### **Security Chip**

Google Security Chip H1

### **Physical Locks**

Kensington® Nano Security Slot™

### **Fingerprint Reader**

No fingerprint reader

## **BIOS Security**

No support

#### **Other Security**

Camera privacy shutter

## **SERVICE**

## **Warranty**<sup>[1]</sup>

### **Base Warranty**

- 1-year courier or carry-in service
- 1-year mail-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service

### Notes:

1. The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <a href="https://smartfind.lenovo.com/">https://smartfind.lenovo.com/</a>. To learn more details of warranty policy, please access <a href="https://pcsupport.lenovo.com/warranty">https://pcsupport.lenovo.com/warranty</a>.

## ENVIRONMENTAL

### Sustainability



#### **Material**

96% recycled content in PIC cushion 30% Ocean-Bound recycled plastic in Ocean-bound plastic bag Paper screen film is also 100% recyclable

### **Operating Environment**

### Temperature[1]

- Operating: 5°C (41°F) to 35°C (95°F)
- Storage: 5°C (41°F) to 43°C (109°F)

### **Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

#### **Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

#### Notes:

1. When you charge the battery, its temperature must be no lower than 10°C (50°F).

## **CERTIFICATIONS**

### Green Certifications<sup>11</sup>

#### Green Certifications[2]

- EPEAT™ Gold Registered
- ENERGY STAR® 8.0
- ErP Lot 6/26
- TCO Certified 9.0
- RoHS compliant

#### Notes:

- 1. The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.
- 2. EPEAT is registered where applicable, please see https://www.epeat.net for registration status by country.

## **Other Certifications**

### Mil-Spec Test

MIL-STD-810H military test passed (20 test items)

### **Other Certifications**

ASTM F963 test passed

- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not
  responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS,"
  WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES
  OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow
  disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to
  you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.













