Lenovo ThinkSystem SR680a V3

Maximum Acceleration for Complex Al



Designed for Performance

The Lenovo ThinkSystem SR680a V3 GPU system delivers massive computational performance for Artificial Intelligence (AI), High-Performance Computing (HPC), and graphical and simulation workloads across various industries.

Al has arrived, and new solutions and possibilities for the most complex problems capture imaginations globally. Here are a few ways Al has captured the attention of the IT industry and the world at large:

- Generative AI platforms like Chat GPT, Bard, Claude & Microsoft Bing AI
- Chatbots for customer service interfaces
- Natural language processing (NLP) for call centers
- Computer vision for retail customer experience
- Fraud & threat detection in the financial industry
- Medical imaging and diagnostic applications

The possibilities seem endless as more solutions leverage the capabilities of AI and the demand for accelerated computing via GPUs increases. The ThinkSystem SR680a V3 GPU system delivers an optimized, enterprise-grade solution for deploying accelerated AI and HPC workloads in production.

Choice for Maximum Acceleration Flexibility

The ThinkSystem SR680a V3 offers a choice of acceleration platforms featuring NVIDIA H100/H200/B100, AMD MI300X, and support for future GPUs. With high-speed interconnects between the GPUs, the system delivers unparalleled computational power for demanding AI and HPC workloads.

- Two 5th Gen Intel® Xeon® Scalable processors
- 8 GPUs with high-speed interconnect
 - NVIDIA H100/H200/B100 SXM with NVLink interconnect
 - AMD Instinct™ MI300X Series with Infinity Fabric interconnect
- Support for high-speed networking directly connected to the GPU complex
- 32x DDR5 slots, max frequency, up to 4TB
- Up to 16 high-speed 2.5" NVMe drives

The ThinkSystem SR680a V3 is built on two 5th Gen Intel® Xeon® Scalable processors, is designed to support both NVIDIA and AMD GPU platforms, and is designed to fit into an industry-standard 19" rack.



Massive Computational Performance

NVIDIA H100/H200/B100 Tensor Core GPU platforms deliver unprecedented acceleration — at every scale — to power the world's highest-performing elastic data centers for AI and HPC applications. The H100/H200/B100 can efficiently scale up or be partitioned into seven isolated GPU instances. A second-generation Multi-Instance GPU (MIG) provides a unified platform that enables elastic data centers to dynamically adjust to shifting workload demands.

The AMD Instinct™ MI300X discrete GPU is based on next-generation AMD CDNA™ 3 architecture and delivers leadership efficiency and performance for the most demanding AI and HPC workloads. It is designed with high-throughput compute units, AI-specific functions that include new data-type support, photo and video decoding, and an unprecedented 192GB of HBM3 memory per GPU accelerator.

Lenovo Makes "Al for All" Possible

Lenovo delivers AI to data deployed inside your data center and at the edge. We have the industry's most comprehensive Al portfolio with over 80 products designed for AI workloads. Lenovo partners with over 50 Al Innovator partners globally to deliver turnkey Hybrid Cloud and Edge Al solutions.

Unique in the industry, Lenovo can deliver Al "from pocket to cloud" with servers, workstations, and Alenabled devices. Whether you are a public cloud provider or building your Al model on-prem, Lenovo provides systems and solutions that scale to meet your needs. We bring AI to your data where and when you need it the most, in a truly hybrid approach: public, private, or personal.

Lenovo Professional Services

Offering a breadth of services, solutions and platforms, Lenovo's AI Professional Services help businesses of all sizes navigate the Al landscape, find the right solutions, and put AI to work for their organizations quickly, costeffectively and at scale. Lenovo experts bring Al from concept to reality — from designing AI roadmaps to deploying platforms.



Specifications

Form Factor	8U rack
Processor	2x 5th Gen Intel® Xeon® Scalable processors, up to 350W
Memory	Up to 4TB using 32x DDR5 DIMMs with maximum frequency at 5600MHz
GPU	Supports 8x high-performance GPUs:
	 8x NVIDIA HGX™ H100/H200/B100 GPUs with NVLink interconnects at 900 GB/s 8x AMD Instinct™ MI300X GPUs with Infinity Fabric interconnects at 896 GB/s
I/O Expansion	Up to 10x PCle Gen5 x16 FHHL adapters 8x in front connected to PCle switch for GPU connectivity 2x in rear connected to CPU for CPU connectivity
Storage	Up to 16x 2.5" hot-swap NVMe SSDs Up to 2x M.2 for boot (RAID via VROC)
Power	Up to 8x hot-swap power supplies, allowing full N+N redundancy
Cooling	Air cooled with N+1 hot-swap fan solution
Management	XClarity Controller2 (XCC2), which provides advanced service-processor control, monitoring, and alerting functions. The XCC2 consolidates the service processor functionality, super I/O, video controller, and remote presence capabilities into a single chip on the server system board.
OS Support	RHEL, Ubuntu, Alma Linux, Rocky Linux, ESXi

About Lenovo

Lenovo (HKSE: 992) (ADR: LNVGY) is a US\$62 billion revenue global technology powerhouse, ranked #171 in the Fortune Global 500, employing 77,000 people around the world, and serving millions of customers every day in 180 markets. Focused on a bold vision to deliver smarter technology for all, Lenovo is expanding into new growth areas of infrastructure, mobile, solutions and services. This transformation is building a more inclusive, trustworthy, and sustainable digital society for everyone, everywhere.

For More Information

To learn more about the Lenovo ThinkSystem SR680a V3, contact your Lenovo representative or Business Partner or visit lenovo.com/thinksystem. For detailed specifications consult the SR680a V3 Product Guide.



© 2024 Lenovo. All rights reserved.

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Lenovo Warranty Information, 1009 Think Place, Morrisville, NC, 27560. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, ThinkSystem®, and XClarity* are trademarks or registered trademarks of Lenovo. Intel* and Xeon* are trademarks of Intel Corporation or its subsidiaries. Linux* is the trademark of Linus Torvalds in the U.S. and other countries. Microsoft* and Bing* are trademarks of Microsoft Corporation in the United States, other countries, or both. Other company, product, or service names may be trademarks or service marks of others. Document number DS0180, published March 18, 2024. For the latest version, go to lenovopress.lenovo.com/ds0180.

