



Unlocking the potential of  
the Internet of Things

# Use Case: Video Surveillance

# 4G-LTE IP67 Video Enclosure

## CBRS Ethernet Bridge with PoE

### CBRS PoE IP67 Enclosure Features:

- 4G-LTE Cat 12: 600 Mbps DL / 150 Mbps UL
  - Global 4G-LTE bands: **B42, B43, B48**
  - DL: 3xCA 20 MHz 256QAM
  - UL: 2xCA 20 MHz 64QAM
- INPUT: Power: 115v Mains input
- OUTPUT: Ethernet 10/100/1000 Mbps with PoE
- PoE: 30Watt Active
- Industrial Temp Range **-30° to +70°C**
- Internal Omni-Directional Antennas
- SIM Slot: Push-Push Mini-SIM 2FF on MultiConnect® eCell CBRS Ethernet Bridge
- MultiTech DeviceHQ® – Remote Device Management



**SAMPLES AVAILABLE UPON REQUEST**



# Digital Resources

Learn More about CBRS OnGo /Private LTE

<https://www.multitech.com/technology/private-lte>

MultiConnect® eCell CBRS Ethernet Bridge

<https://www.multitech.com/brands/multiconnect-ecell>

DeviceHQ® Cloud-based Application Store and IoT Device Management

<https://www.multitech.com/brands/devicehq>



Unlocking the potential of  
the Internet of Things

World Headquarters  
2205 Woodale Drive  
Mounds View, MN 55112  
United States  
888-288-5470 or 763-785-3500  
sales@multitech.com  
  
www.multitech.com