



# Dell Pro Max 14

Step up to Dell Pro Max

Featuring the latest Intel® Core™ Ultra processors and NVIDIA Pro graphics.

Designed to perform intensive workloads and multi-tasking,  
Dell Pro Max is purpose-built to power your applications.

**Extraordinary performance**

Tailored to the Power User. Dell Pro Max 14 features up to Intel Core Ultra 7 processors, NVIDIA RTX PRO 500-class graphics<sup>1</sup>, 7467MT/s memory speeds, and 2TBs of storage.

**Elevated experience**

With a newly redesigned 14" form factor, 16:10 aspect ratio, a larger click-pad, and options for up to a QHD+<sup>1</sup> display and 8MP+<sup>1</sup> IR camera, enjoy unparalleled comfort and exuberance.

**Exceptionally mobile**

Starting at just 4.04lbs and featuring excellent connectivity options, including Wi-Fi 7, BT 5.4, and single-cable docking, your projects are effortlessly portable. With a robust 72Whr 4-cell battery, you can stay productive on the go for extended periods.

**Expanded sustainability**

Incorporates bio-based materials and recycled content. Employs 100% recycled packaging and shipping material. EPEAT Gold registered with Climate+ designation, Energy Star 9.0<sup>1</sup> and TCO10 certified products.

**Excellent reliability**

Tested and certified by leading ISVs to guarantee outstanding application performance, MIL-STD tested for durability against everyday wear and tear, and backed by a reliable warranty with optional service enhancements.



FEATURE	TECHNICAL SPECIFICATION
<b>MODEL NUMBER</b>	Dell Pro Max 14 MC14250
<b>PROCESSOR<sup>1</sup></b>	Intel® Core™ Ultra 5 225H (18 MB cache, 14 cores, 14 threads, up to 4.90 GHz, 28W) Intel® Core™ Ultra 5 235H vPro® (18 MB cache, 14 cores, 14 threads, up to 5.00 GHz, 28W) Intel® Core™ Ultra 7 255H (24 MB cache, 16 cores, 16 threads, up to 5.10 GHz, 28W) Intel® Core™ Ultra 7 265H vPro® (24 MB cache, 16 cores, 16 threads, up to 5.30 GHz, 28W)
<b>OPERATING SYSTEM<sup>1</sup></b>	Windows 11 Home Windows 11 Pro Ubuntu® Linux® 22.04 LTS, 64-bit
<b>MEMORY<sup>1,2,3</sup></b>	16 GB: 1 x 16 GB, LPCAMM2 LPDDR5x, 7467 MT/s, dual-channel 32 GB: 1 x 32 GB, LPCAMM2 LPDDR5x, 7467 MT/s, dual-channel 64 GB: 1 x 64 GB, LPCAMM2 LPDDR5x, 7467 MT/s, dual-channel
<b>PRIMARY HARD DISK DRIVE<sup>1,5</sup></b>	256 GB, M.2 2230, Gen4 PCIe NVMe, SSD 512 GB, M.2 2230, Gen4 PCIe NVMe, SSD 1 TB, M.2 2280, GEN4 PCIe NVME, SSD, SELF-ENCRYPTING 2 TB, M.2 2280, GEN4 PCIe NVME, SSD, SELF-ENCRYPTING
<b>GRAPHIC CARD</b>	<b>Integrated graphics:</b> Intel® Graphics  <b>Discrete graphics<sup>1</sup>:</b> NVIDIA® RTX™ PRO 500-class, 6 GB GDDR7 (coming soon)
<b>DISPLAY<sup>1</sup></b>	35.5cm (14"), Non-Touch, 16:10, FHD+ 1920x1200, 60Hz, WVA, Anti-Glare, 300 nit, 45% NTSC 35.5cm (14"), Touch, 16:10, FHD+ 1920x1200, 60Hz, WVA, Anti-Glare, 300 nit, 100% sRGB, No Pen Support 35.5cm (14"), Non-Touch, 16:10, QHD+ 2560x1600, 120Hz, WVA, Anti-Glare, 300 nit, 100% sRGB, ComfortView Plus (coming soon)
<b>CASE COLOR</b>	Magnetite
<b>PRODUCTIVITY SW<sup>1</sup></b>	Dell Command   Configure 4.0 or later (DCC) Dell Command   Monitor 10.0 or later (DCM) Dell Command   Update 3.0 or later (DCU) Dell Command   Update Catalog (DCUC) Dell Command   Deploy (DCP) Dell Command   Integration Suite for System Center 5.0 (DCIS)-only for vPro™ processors Dell Command   Intel® vPro™ Out of Band (DCIV)-only for vPro™ processors Dell Command   PowerShell Provider 2.0 or later Dell Command   Deploy Driver Pack Catalog 1.0 or later Dell Hybrid Client Dell Optimizer 6.0
<b>SECURITY SOFTWARE</b>	Trusted Platform Module (TPM) 2.0 security
<b>WARRANTY<sup>8,9</sup></b>	1Y Hardware Warranty Service with In-Home/Onsite Service after Remote Diagnosis 2Y Hardware Warranty Service with In-Home/Onsite Service after Remote Diagnosis 3Y Hardware Warranty Service with In-Home/Onsite Service after Remote Diagnosis 4Y Hardware Warranty Service with In-Home/Onsite Service after Remote Diagnosis 5Y Hardware Warranty Service with In-Home/Onsite Service after Remote Diagnosis 1Y ProSupport Suite 2Y ProSupport Suite 3Y ProSupport Suite 4Y ProSupport Suite 5Y ProSupport Suite 2Y Data and Protective Services Extended Battery Services (EBS) - CRU Batteries Only 3Y Data and Protective Services Extended Battery Services (EBS) - CRU Batteries Only
<b>ACCIDENTAL DAMAGE SERVICES</b>	1-year Accidental Damage Service 2-year Accidental Damage Service 3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service 1-year Accidental Damage with Theft Service 2-year Accidental Damage with Theft Service 3-year Accidental Damage with Theft Service 4-year Accidental Damage with Theft Service 5-year Accidental Damage with Theft Service 1-year Accidental Damage Protection 2-year Accidental Damage Protection 3-year Accidental Damage Protection 4-year Accidental Damage Protection 5-year Accidental Damage Protection

FEATURE	TECHNICAL SPECIFICATION
KEYBOARD <sup>1</sup>	<p><b>Magnetite non-backlit keyboard</b></p> <p>Magnetite English International non-backlit Copilot key keyboard, 79-key  Magnetite English US non-backlit Copilot key keyboard, 79-key  Magnetite French Canadian Quebec Acnor non-backlit Copilot key keyboard, 81-key  Magnetite Japanese non-backlit Copilot key keyboard, 83-key  Magnetite Spanish Latin America non-backlit Copilot key keyboard, 79-key</p> <p><b>Magnetite backlit keyboard</b></p> <p>Magnetite Adriatic (MUI) backlit Copilot key keyboard, 79-key  Magnetite Arabic backlit Copilot key keyboard, 79-key  Magnetite Belgian backlit Copilot key keyboard, 80-key  Magnetite Bulgarian backlit Copilot key keyboard, 80-key  Magnetite Canada (Bilingual) MUI backlit Copilot key keyboard, 79-key  Magnetite Chinese (Traditional) backlit Copilot key keyboard, 79-key  Magnetite Czech/Slovak (MUI) backlit Copilot key keyboard, 80-key  Magnetite Danish backlit Copilot key keyboard, 80-key  Magnetite English International backlit Copilot key keyboard, 79-key  Magnetite English UK backlit Copilot key keyboard, 80-key  Magnetite English US backlit Copilot key keyboard, 79-key  Magnetite Estonian backlit Copilot key keyboard, 80-key  Magnetite French (Canadian) (MUI) backlit Copilot key keyboard, 79-key  Magnetite French (European) backlit Copilot key keyboard, 80-key  Magnetite German backlit Copilot key keyboard, 80-key  Magnetite Greek backlit Copilot key keyboard, 79-key  Magnetite Hebrew backlit Copilot key keyboard, 79-key  Magnetite Hungarian backlit Copilot key keyboard, 80-key  Magnetite Icelandic backlit Copilot key keyboard, 80-key  Magnetite Italian backlit Copilot key keyboard, 80-key  Magnetite Japanese backlit Copilot key keyboard, 83-key  Magnetite Korean backlit Copilot key keyboard, 79-key  Magnetite Nordic (MUI) backlit Copilot key keyboard, 80-key  Magnetite Norwegian backlit Copilot key keyboard, 80-key  Magnetite Portuguese (Brazil) backlit Copilot key keyboard, 81-key  Magnetite Portuguese (Iberian) backlit Copilot key keyboard, 80-key  Magnetite Russian backlit Copilot key keyboard, 79-key  Magnetite Spanish (Castilian) backlit Copilot key keyboard, 80-key  Magnetite Spanish (Latin America) backlit Copilot key keyboard, 80-key  Magnetite Swedish/Finnish backlit Copilot key keyboard, 80-key  Magnetite Swiss/European (MUI) backlit Copilot key keyboard, 80-key  Magnetite Thai backlit Copilot key keyboard, 79-key  Magnetite Turkish backlit Copilot key keyboard, 80-key  Magnetite Turkish (F) backlit Copilot key keyboard, 80-key  Magnetite Ukrainian backlit Copilot key keyboard, 79-key</p>
TOUCHPAD	Premium Precision TouchPad with Multi-touch Gesture
PORTS	(2) Thunderbolt™ 4 (40 Gbps) ports with Power Delivery and DisplayPort™ USB 3.2 Gen 1 (5 Gbps) port with PowerShare USB 3.2 Gen 1 (5 Gbps) port HDMI 2.1 port RJ45 (1 Gbps) Ethernet port Global headset port
OPTICAL DRIVE	N/A
SLOTS	Wedge-shaped lock slot SMART-CARD READER SLOT (OPTIONAL)
DIMENSIONS	Height (rear): 0.74 in. (18.90 mm) Height (peak): 0.97 in. (24.65 mm) Height (front): 0.58 in. (14.79 mm) Width: 12.32 in. (313 mm) Depth: 8.75 in. (227.30 mm) Weight (minimum): 4.04 lb (1.83 kg)
CAMERA <sup>1</sup>	1080p at 30 fps widescreen FHD+ RGB HDR camera, Dual-array microphones, TNR 1080p at 30 fps widescreen FHD+ RGB HDR + IR camera, Dual-array microphones, TNR 8MP HDR + IR camera, Dual-array microphones, TNR, Ambient light sensor (coming soon)
AUDIO AND SPEAKERS <sup>1</sup>	Stereo speakers with Realtek ALC1708 Audio Controller, 2W x 2 = 4W total
WIRELESS	Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, MU-MIMO, Bluetooth® 5.3 wireless card, Internal antenna Intel® Wi-Fi 7 BE201, 2x2, 802.11be, MU-MIMO, Bluetooth® 5.4 wireless card, Internal antenna

FEATURE	TECHNICAL SPECIFICATION
BATTERY	4-cell, 72 Wh, Lithium Ion Polymer, ExpressCharge™ Capable 4-cell, 72 Wh, Lithium Ion Polymer, ExpressCharge™ Capable, Long Life Cycle
POWER	100W AC adapter, USB Type-C 130W AC adapter, USB Type-C
REGULATORY <sup>7,11</sup>	<a href="#">Product Safety, EMC and Environmental Datasheets</a> <a href="#">Dell Regulatory Compliance Home Page</a> <a href="#">Responsible Business Alliance Policy</a>

## Legal disclaimers

### Page 3-5

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Owner's Manual published on [www.dell.com/support](http://www.dell.com/support).
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
5. TPM is available in selected regions.
6. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation.
7. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
8. Onsite service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
9. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).
10. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information [www.dell.com/support/home/us/en/19](http://www.dell.com/support/home/us/en/19).