



HP Elite Slice G2 - Audio Ready with Zoom Rooms

How conferencing should be

Designed for rooms of all sizes with 3rd party AV accessories, the HP Elite Slice G2 - Audio Ready with Zoom Rooms² helps simplify meetings. Easily connect³ with the Center of Room Control and mount with an optional HP VESA Plate.⁴



- Windows 10 IoT Enterprise¹

Ready to go

- Simplify your Zoom Rooms deployment with a compute device pre-imaged with Zoom Rooms software and packaged with an easy to use, moveable 12.3-inch diagonal Center of Room Control display, HDMI adapters, and a port cover.

One-touch collaboration

- Enjoy on-demand calling and flexible accessibility. Easily add attendees and share content with one touch on the anti-glare screen of the Center of Room Control with dual viewing angles and familiar Zoom Rooms interface.³

Connect to existing audio and video²

- Show your team in the best light and easily connect your Zoom Rooms interface systems, audio, and video peripherals to HP Elite Slice G2 - Audio Ready with Zoom Rooms.²

Stress free. Worry free.

- Get setup quickly with hassle-free installation and intuitive user operation—no assembly or specialized skills required. Easily manage, deploy, and secure your meeting room system.
- Cut the cable and easily present content wirelessly from your laptop or mobile device to the Zoom meeting.²
- Protect your PC from the ground up with a self-healing BIOS. HP Sure Start Gen3 automatically recovers the BIOS from malware, rootkits or corruption to help increase security, minimize downtime, and prevent breaches.⁵
- The port cover on the HP Elite Slice G2 - Audio Ready with Zoom Rooms and the optional HP Keyed Cable Lock 10 mm help secure your system in the conference room.^{2,4}
- Mount your HP Elite Slice G2 - Audio Ready with Zoom Rooms to a fixed location behind a display or on a desk or table with the optional HP VESA Plate that allows it to be anchored with the 100 x 100 VESA pattern.^{2,4}

HP Elite Slice G2 - Audio Ready with Zoom Rooms Specifications Table



| | |
|--|---|
| Available Operating Systems | Windows 10 IoT Enterprise 64 ¹ |
| Processor family ² | 7th Generation Intel® Core™ i5 processor (i5-7500T); 7th Generation Intel® Core™ i7 processor (i7-7700T) |
| Available Processors ^{3,4,5,27} | Intel® Core™ i5-7500T with Intel® HD Graphics 630 (2.7 GHz base frequency, up to 3.3 GHz with Intel® Turbo Boost Technology, 6 MB cache, 4 cores) supports Intel® vPro™ Technology; Intel® Core™ i7-7700T with Intel® HD Graphics 630 (2.9 GHz base frequency, up to 3.8 GHz with Intel® Turbo Boost Technology, 8 MB cache, 4 cores), supports Intel® vPro™ Technology |
| Chipset ²⁷ | Intel® Q170 |
| Form factor | Ultra-small form factor |
| Maximum memory | 32 GB DDR4-2666 SDRAM ⁶ Transfer rates up to 2666 MT/s. |
| Memory slots | 2 DIMM |
| Internal storage | 128 GB up to 256 GB PCIe® NVMe™ TLC M.2 SSD ⁷ 128 GB up to 256 GB SATA SSD ⁷ |
| Display | 31.2 cm (12.3") diagonal FHD LCD touch screen (1440 x 960) ¹⁵ |
| Available Graphics | Integrated: Intel® HD Graphics 630 ¹¹ |
| Audio | Conexant CX7501 codec, universal audio jack that is retaskable |
| Expansion slots | 1 M.2 2230; 1 M.2 2280 ⁸ |
| Ports and Connectors | Side: 1 audio-in/out; 1 SuperSpeed USB Type-C® 5Gbps signaling rate Back: 1 DisplayPort™; 1 HDMI; 1 power connector; 1 RJ-45; 1 SuperSpeed USB Type-C® 5Gbps signaling rate (alternate mode DisplayPort™); 2 SuperSpeed USB 5Gbps signaling rate; HP Video Ingest Module with HDMI input ⁹ |
| Input devices | HP Wired Desktop 320K Keyboard; HP USB Slim Business Keyboard ^{12,13} ; HP USB Mouse; HP USB optical mouse; HP Wired Desktop 320M mouse; HP USB 1000 dpi laser mouse ^{12,14} ; |
| Communications | LAN: Integrated Intel® I219LM GbE LOM ; WLAN: Intel® Dual Band Wireless-AC 7265 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 combo, non-vPro®; Intel® Dual Band Wireless-AC 8260 802.11a/b/g/n/ac (2x2) Wi-Fi® and Bluetooth® 4.2 combo, vPro® ^{10,27} ; |
| Available Software | Absolute Persistence module; HP Connection Optimizer; HP Notifications; Zoom Rooms |
| Security management | Active Health (black box flight recorder); HP Dual Head Keyed Cable Lock Kit; Sure Start 3.0; Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10 (Common Criteria EAL4+ Certified)(FIPS 140-2 Level 2 Certified) ²⁰ |
| Management features | HP Image Assistant |
| Power | 90 W external power adapter; up to 85% efficiency ²³ |
| Dimensions | 6.5 x 6.5 x 1.38 in 16.5 x 16.5 x 3.55 cm |
| Weight | 2.31 lb 1.04 kg (Exact weight depends on configuration.) |
| Energy efficiency compliance | ENERGY STAR® certified; EPEAT® 2019 registered where applicable ²⁴ |
| Sustainable impact specifications | Low halogen ²⁵ |
| What's in the box | HP Cable and Port Cover; HP Center of Room Control; HP DisplayPort™ to HDMI True 4K Adapter; HP Elite Slice G2 - Audio Ready with Zoom Rooms; HP VESA Plate; HP Video Ingest Module |

HP Elite Slice G2 - Audio Ready with Zoom Rooms

Accessories and services (not included)

HP EliteDisplay E243 23.8-inch Monitor



Style meets substance in a strikingly modern business display crafted for optimal viewing, productivity, and ergonomics. The HP EliteDisplay E243 23.8-inch Monitor has a 3-sided micro-edge bezel for seamless multi-display tiling and 4-way adjustability so you can comfortably power through your day.
Product number: 1FH47A7

HP USB Slim Business Keyboard



Get fast data entry and quick USB connectivity with the HP USB Business Slim Keyboard, designed to complement the 2015 class of HP Business PCs.
Product number: N3R87AA

HP Keyed Cable Lock 10 mm



Help keep your notebook safe in the office and high-traffic areas by tethering it to a secure surface with the HP Master Keyed Cable Lock 10mm, designed specifically for ultra-thin profile notebooks.
Product number: T1A62AA

HP 3-year Next Business Day Onsite Optional Customer Self Repair Desktop/Workstation Only Hardware Service



HP Care Pack

Receive 3 years of next business day onsite repair from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. For more information on Care Pack services, please visit www.hp.com/go/cpc.
Product number: UE379E

HP Elite Slice G2 - Audio Ready with Zoom Rooms

Messaging Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers and/or software to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>.
- ² Audio equipment or speakers are required and sold separately.
- ³ In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on <http://www.support.hp.com>.
- ⁴ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- ⁵ Intel® Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.
- ⁶ Some functionality of this technology, such as Intel Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependant on 3rd party software providers. Compatibility of this generation of Intel vPro technology-based hardware with future "virtual appliances" is yet to be determined.
- ⁷ 16 GB DDR4-2666 SDRAM; up to 32 GB thru option kit(s). Both configurations will be supported.
- ⁸ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.
- ⁹ (1) M.2 2230 PCIe for WLAN; (1) M.2 2280 PCIe for NVMe SSD.
- ¹⁰ 1 SuperSpeed USB Type-C® 5Gbps signaling rate: 60 W input.
- ¹¹ Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited.
- ¹² HD content required to view HD images.
- ¹³ Keyboards and mice are sold separately or as an optional feature.
- ¹⁴ USB Business Slim Wired Keyboard: China only.
- ¹⁵ HP USB Mouse: China only.
- ¹⁶ Center of Room Control weight: 1.04 kg (2.3 lb); Dimensions: width (X) 30.17 cm (11.88 in), height (Y) 21.97 cm (8.65 in), depth (Z) 8.08 cm (3.17 in).
- ¹⁷ Absolute agent is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: <http://www.absolute.com/company/legal/agreements/computrace-agreement>. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or purchase one or more RSA SecurID tokens from Absolute Software.
- ¹⁸ HP Support Assistant: requires Windows and Internet access.
- ¹⁹ Firmware TPM is version 2.0. Hardware TPM is v1.2, which is a subset of the TPM 2.0 specification version v0.89 as implemented by Intel Platform Trust Technology (PTT). TPM is version 2.0. Hardware TPM is v1.2, which is a subset of the TPM 2.0 specification version v0.89 as implemented by Intel Platform Trust Technology (PTT).
- ²⁰ All power supplies are not available in every region.
- ²¹ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.
- ²² External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
- ²³ HP Cable and Port Cover and HP USB Type-C® Extension Cable: only one can be installed.
- ²⁴ For full Intel® vPro™ functionality, Windows, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN card and discrete TPM 2.0 are required. See <http://intel.com/vpro>

Technical Specifications Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>
- ² In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel® and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on <http://www.support.hp.com>.
- ³ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- ⁴ Intel® Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.
- ⁵ Some functionality of this technology, such as Intel Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependant on 3rd party software providers. Compatibility of this generation of Intel vPro technology-based hardware with future "virtual appliances" is yet to be determined.
- ⁶ 16 GB DDR4-2666 SDRAM; up to 32 GB thru option kit(s). Both configurations will be supported.
- ⁷ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.
- ⁸ (1) M.2 2230 PCIe for WLAN; (1) M.2 2280 PCIe for NVMe SSD.
- ⁹ 1 SuperSpeed USB Type-C® 5Gbps signaling rate: 60 W input.
- ¹⁰ Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited.
- ¹¹ HD content required to view HD images.
- ¹² Keyboards and mice are sold separately or as an optional feature.
- ¹³ USB Business Slim Wired Keyboard: China only.
- ¹⁴ HP USB Mouse: China only.
- ¹⁵ Center of Room Control weight: 1.04 kg (2.3 lb); Dimensions: width (X) 30.17 cm (11.88 in), height (Y) 21.97 cm (8.65 in), depth (Z) 8.08 cm (3.17 in).
- ¹⁶ Absolute agent is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: <http://www.absolute.com/company/legal/agreements/computrace-agreement>. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or purchase one or more RSA SecurID tokens from Absolute Software.
- ¹⁷ HP Support Assistant: requires Windows and Internet access.
- ¹⁸ Firmware TPM is version 2.0. Hardware TPM is v1.2, which is a subset of the TPM 2.0 specification version v0.89 as implemented by Intel Platform Trust Technology (PTT). TPM is version 2.0. Hardware TPM is v1.2, which is a subset of the TPM 2.0 specification version v0.89 as implemented by Intel Platform Trust Technology (PTT).
- ¹⁹ All power supplies are not available in every region.
- ²⁰ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.
- ²¹ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.
- ²² HP Cable and Port Cover and HP USB Type-C® Extension Cable: only one can be installed.
- ²³ For full Intel® vPro™ functionality, Windows, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN card and discrete TPM 2.0 are required. See <http://intel.com/vpro>

Sign up for updates hp.com/go/getupdated

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Intel, Core and Intel vPro are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. All other trademarks are the property of their respective owners.

4AA7-5738EAP, May 2021

--

