

THE HOT 100

TOP CONFERENCING PRODUCTS



C2G

CHIEF

DA-LITE

MIDDLE
ATLANTIC

VADDIO

THE HOT 100

Your clients have one big goal this year—make hybrid **work**. By design, our solutions pair with all your favorite go to brands to transform a single transaction into a suite that solves for the real challenge at hand—helping employees be seen and heard, no matter where they're working. The curated list below highlights our top conferencing products from the brands you know and love to help you create the full solution and loyal customers.

Get more resources like our [ConnectXpress](#), [Mountfinder](#)*, and [Screen Surface Selector](#) 24/7 at [legrandav.com](#)

C2G.....	3
Chief.....	6
Da-Lite.....	9
Middle Atlantic.....	11
Vaddio.....	14
Explore Full Room Solutions.....	16

LIVE CHAT

8:30AM – 6:30PM (ET) M-F
[legrandav.com](#)

EMAIL

av.techsupport@legrand.com

CALL

8:30AM – 6:30PM (ET) M-F
1-866-977-3901

SIMPLIFIED CONNECTIVITY

Cables are the unsung hero for most AV and IT installs. C2G's high-performing cables connect screens, devices and collaboration equipment, allowing users crisp pictures and clear connections no matter the room size. With a lifetime warranty on all cables, C2G has been the manufacturer that the AV and IT industry has trusted for decades.

[EXPLORE ALL C2G](#) [EXPLORE CONNECTXPRESS](#)

HDMI®

C2G PN	Type	Description	Max Resolution
41350	Adapter Converter	HDMI to VGA M/F	1920x1080
41352	Adapter Converter	HDMI to Single Link DVI-D M/F	1920x1200
42516	Adapter Cable	6.6ft HDMI to DVI-D Digital Video Cable	1080p
56783	Cable	6ft High Speed HDMI Cable with Ethernet	4K @60Hz
C2G10377	Cable	6ft Ultra Flexible High Speed HDMI, In-Wall, CMG (FT4) Rated	4K @60Hz
C2G10454	Cable	6ft Ultra High Speed HDMI with Ethernet	8K @60Hz



Top Seller

Top Seller

SIMPLIFIED CONNECTIVITY

DisplayPort

C2G PN	Type	Description	Max Resolution
54340	Adapter Converter	DisplayPort to HDMI, VGA, or DVI M/F	VGA - 1920x1080 @60Hz DVI - 1920x1080 @60Hz HDMI - 3840x2160 @30Hz
54323	Adapter Converter	8in DisplayPort to VGA M/F	1920 x 1200
54322	Adapter Converter	8in DisplayPort to HDMI M/F	1080p
54321	Adapter Converter	6ft DisplayPort to HDMI M/M	1920 x 1200
54329	Adapter Cable	6ft DisplayPort to Single Link DVI-D M/M	1920 x 1200
54326	Adapter Cable	6ft DisplayPort to HDMI M/M	1080p
54332	Adapter Cable	6ft DisplayPort to VGA M/M	1920 x 1200
54401	Cable	6ft DisplayPort with Latches	8K
24904	Cable	6ft DisplayPort	4K @30Hz

BYOD Ready 



54340

Mini DisplayPort & Thunderbolt 2

C2G PN	Type	Description	Max Resolution
54315	Adapter Converter	8in Mini DisplayPort to VGA M/F	1920 x 1200
54335	Adapter Cable	6ft Mini DisplayPort to Single Link DVI-D M/M	1920 x 1200
54301	Adapter Cable	6ft Mini DisplayPort to DisplayPort M/M	4K @30Hz

Top Seller 



54401

SIMPLIFIED CONNECTIVITY

USB-C Docking Stations

C2G PN	Description	HDMI	DisplayPort	USB-A	USB-C	Ethernet	3.5mm Jack	Max Resolution	Power Delivery (USB-C)
C2G54535	14-in-1 Triple Display	3x	2x	4x	1x	1x	1x	4K @ 30Hz	85W
C2G54487	9-in-1 Dual Display	2x	-	5x	1x	1x	1x		60W
54439	7-in-1 Dual Display	1x	1x	2x	1x	-	-		100W
28845	6-in-1 Mini Dock	1x	-	2x	1x	1x	-		60W
26916	9-in-1 Mini Dock	1x	-	2x	1x	1x	-		100W

TAA Compliant

Additional Ports:
VGA & SD Card Reader

USB-C and Thunderbolt

C2G PN	Type	Description	Max Resolution	Refresh Rate
28848	Cable	3.3ft Gen 2 USB-C 3.1 (20V 5A)	4K	-
C2G28887	Cable	6ft Thunderbolt 4 USB-C (40Gbps)		60Hz
29826	Adapter Converter	USB-C to Ethernet Network	-	-
29482	Adapter Converter	USB-C to DisplayPort M/F	4K	30Hz
26889	Adapter Cable	6ft USB-C to HDMI Audio/Video M/M		
26902	Adapter Cable	6ft USB-C to DisplayPort M/M		
28831	Adapter Cable	3ft USB-C to USB-A M/M	-	-

10Gbps Data Transfer Speeds

5Gbps SuperSpeed Cable



C2G54535



INSTALLER INSPIRED

With over 40 years of proven product and service excellence, Chief has earned their place as the #1 Commercial AV mount. Chief's innovative features and collaborative design efforts ensure a quicker install, sleeker look, and a flexible set up that allows the space to change as your needs do. With product warranties for up to 10 years, your customer has peace of mind and can focus on the screen, not the mount.

[+ EXPLORE ALL CHIEF](#) [+ EXPLORE MOUNTFINDER](#)

Projector Mount

Chief PN	Description	Weight Capacity
RPAU	Universal Ceiling Projector Mount	50 lbs

Over-The-Board Mount

Chief PN	Description	Weight Capacity
OB1U	Over-the-Whiteboard Interactive Display Mount	310 lbs

Time Saving Floor Supported Mount

Chief PN	Description	Weight Capacity
AVSFSS	Tempo™ Flat Panel Floor Support System	200 lbs



OB1U allows for easy installation and adjustment of heavy interactive flat panel displays over existing whiteboards.




AVSFSS uses the floor instead of the wall to support displays, reducing install time and increasing cost savings across large roll outs.

INSTALLER INSPIRED


Display Wall Mounts - Fixed

Chief PN	Description	Screen Size	Weight Capacity
RMF2	Medium FIT™ Fixed Wall Mount	32-65"	125 lbs
RLF2	Large FIT™ Fixed Wall Mount	42-86"	125 lbs
RXF2	X-Large FIT™ Fixed Wall Mount	55-100"	175 lbs
MSM1U	Medium Fusion® Fixed Wall Mount	32-65"	125 lbs
LSA1U	Large Fusion® Fixed Wall Mount	42-86"	200 lbs



Display Wall Mounts - Tilt





Chief PN	Description	Screen Size	Weight Capacity
RMT2	Medium Fit™ Tilt Wall Mount	32-65"	125 lbs
RLT2	Large Fit™ Tilt Wall Mount	42-86"	125 lbs
LTM1U	Large Fusion® Micro-Adjustable Tilt Wall Mount	42-86"	200 lbs
XTM1U	X-Large Fusion® Micro-Adjustable Tilt Wall Mount	55-100"	250 lbs



XTM1U shown with Vaddio ConferenceSHOT ePTZ camera, and PAC810K camera mount, both sold separately.

INSTALLER INSPIRED

Single Monitor Mounts

Chief PN	Mount Type	Description	Screen Size	Weight Capacity	
K0W100B	Wall	Kontour™ Wall Mount for Flat Panel Monitor	VESA® 75 x 75 mm / 100 x 100 mm	40 lbs	Extreme Tilt 
K2C110B	Table Clamp	Kontour™ K2C Articulating Column Mount	10 - 30"	40 lbs	
DMA1B	Table Clamp	Koncis™ Monitor Arm Mount, Black	Up to 32"	15 lbs	
KTP225B	Table Stand	Widescreen Dual Array Table Stand	VESA® 75 x 75 mm / 100 x 100 mm	35 lbs	
AVSFSS	Floor Stand	Tempo™ Flat Panel Floor Support System	46 - 60"	200 lbs	
LFAUB	Floor Stand	Large Fusion® Manual Height Adjustable Stand	42 - 86"	200 lbs	UL Listed 
LPAUB	Cart	Large Fusion® Manual Height Adjustable Cart	42 - 86"	200 lbs	UL Listed 
XPA1UB	Cart	X-Large Fusion® Manual Height Adjustable Cart	55 - 100"	300 lbs	UL Listed 

Multiple Monitor Mounts

Chief PN	Mount Type	Description	No. Of Monitors	Screen Size*	Weight Capacity*
DMA2B	Table Clamp	Koncis Monitor Arm Mount, Dual, Black	2	Up to 32"	15 lbs
KTP445B	Table Stand	Quad Array Monitor Stand	4	10 - 30"	20 lbs

*Specs are per monitor



DMA1B provides a flexible workspace with enhanced ergonomics to ensure optimal productivity. Paired here with C2G dock C2G54535, sold separately.

FOR YOUR IMAGE

Da-Lite, the inventor of the Silver Screen, has continued to be the leading producer of high-quality commercial screens for over 100 years. With more than 15 surfaces to choose from, Da-Lite's screen technology is specified for the most demanding installations allowing people to be seen and be heard.

[EXPLORE ALL DA-LITE](#)

Tensioned Advantage with SightLine™

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
DL15011LS	123" Diagonal	16:10	HD Progressive 1.1
DL15017LS	130" Diagonal		
DL15023L	137" Diagonal		

Tensioned Advantage®

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
21808LS	123" Diagonal	16:10	HD Progressive 1.1
21810LS	130" Diagonal		
21814LS	137" Diagonal		

21810LS



DL15017LS, SightLine gives the impression of a floating screen and eliminates the need to measure for a black back drop.

No Fuss Installs: Tensioned Designer Contour®

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
14552	94" Diagonal	16:10	HD Progressive 0.9
14567	109" Diagonal		
14573	113" Diagonal		

29168 ships assembled. This technology mimics the look of a television, but without the glare from windows or lighting fixtures.



Interactive Dry Erase Screen: IDEA™ Screen

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
28273	87" Diagonal	16:10	IDEA
25940	100" Diagonal		
25943	108" Diagonal	16:09	



25940 being utilized to host a hybrid meeting. Paired here with a Chief short throw projector and a Vaddio camera, sold separately.

Fixed Frame Screen: Parallax® Thin

Da-Lite PN	Nominal Diagonal	Format	Screen Surface
29171	100" Diagonal	16:09	Parallax Pure 0.8
29169	110" Diagonal		
29168	120" Diagonal		

WHAT GREAT SYSTEMS ARE BUILT ON

By providing exceptional support and protection products for all integrated electronic systems, a conferencing solution can now be easily managed remotely and securely. Middle Atlantic strives to design all products from an Installer's point of view, leaving tough installs in the past and the focus on the future of conferencing.

[EXPLORE ALL MIDDLE ATLANTIC](#)

Vertical Wall Mount Rack Models

MAP PN	Door	Rackrail Included	Height	Depth	Finish
VWM-2-2-36K-PW	Solid	2 Pivot RU, 2 Fixed RU	36"	12"	Putty
VWM-SD-6-36K-BW	Split, Solid Top	6 Fixed RU		18"	Black
VWM-PD-8-36K-PW	Split, Solid Top	8 Fixed RU		18"	Putty

Pre-Configured Credenzas: C5 Series

Series	Number of Bay Options			Depth Options			Height	Wood Finish	Door Type
C5	1	2	3	22"	27"	31"	32"	8 options	Solid

Continue the aesthetic from the huddle space to the boardroom with the scalable C5 series.

[EXPLORE MORE OF THE C5 SERIES](#)



The **VWM Rack Series** has 9 stocked models and fully customizable options to meet the exact needs of the space.



C5 Series Credenza in bright white keeping conferencing equipment secure. BOM: C5-FF27-3, C5-VENT3-SM, C5K3A1SSHA72P001

WHAT GREAT SYSTEMS ARE BUILT ON

Rackmount Panels: Security and Thermal Management

MAP PN	Description	Size
SB1	Blank Rack Panel, Textured & Flanged	1 RU
EB1	Blank Rack Panel, Steel & Flanged	
BR1	Brush Grommet Panel (For cable entry and exit from the front to rear of the rack.)	

Rackmount Power: Enhanced Surge Protection

MAP PN	Description
PD-915R	9 Outlet, 15A, Surge Protection - 9 ft Cord Top Seller


Remote Power Management With RackLink

MAP PN	Description
RLNK-915R	Select Series PDU with RackLink, 9 Outlet
RLNK-215	Select Series PDU with RackLink, 2 Outlet
RLNK-P915R	Premium+ PDU With Racklink, 9 Outlet 15A & 2-Stage Surge Top Seller



Why RackLink?

- Intelligent and cost effective PDUs
- Ability to control locally or virtually via 3rd party control systems or cloud
- Increases reliability and maximizes productivity



BR1



PD-915R





RLNK-915R

WHAT GREAT SYSTEMS ARE BUILT ON

Line Interactive, Pure Sine Wave Backup Power Solutions

MAP PN	Description	VA/W	No of Outlets	Outlet Control Type	Plug Type
UPS-2200R-8	Premium Series UPSRackmount Power	2150VA / 1650W	8	Individual	5-20P
UPS-2200R-8IP	Premium Series UPSRackmount Power, Web Enabled	2150VA / 1650W	8	Individual	5-20P
UPS-2200R-IP	Premium Series UPSRackmount Power, Web Enabled	2150VA / 1650W	8	Bank	5-20P

Web Enabled 

Web Enabled 



The **L2 Series** is easy to order with or without a flip up shelf for additional surface space.

Budget Friendly Lectern

MAP PN	Description	RU	Depth	Height	Width	Cable Management	Cable
L2LDC2FCMGE	L2 Series Lectern in Ebony Ash with Removable Rack	12	25.92"	43.75"	30"	5 Grommets	6' 4k HDMI

Mobile Rack

MAP PN	Description	RU	Usable Depth	Usable Height	Width	Weight Capacity
PTRK-14	PTRK Portable Rolling Rack	14	21.5"	23.5"	22.59"	500 lb

The **PTRK Series** rack offers 4' casters, advanced cable management and secure locking doors making this rack ideal for adaptable solutions.



THE ART OF EASY

Vaddio products enhance the AV experience by combining industry-leading performance and support with system-configured design for simplicity of installation and operation. With kitted conferencing solutions that meet standard needs to the latest technology in auto-framing, Vaddio allows for all team members to be in the same room, no matter where they are.

[EXPLORE ALL VADDIO](#)

Microphones and Speakers

Vaddio PN	Description	Color	Coverage	
999-85100-000	CeilingMIC Microphone	Black / White	360°	Echo Canceling
999-85000-000	TableMIC Microphone	Black / White	360°	Echo Canceling
999-85600-000	8 Ohm Ceiling Speaker Pair	White	-	
999-86600-000	USB Audio Bundle with one EasyUSB Mixer/ Amp, two CeilingMICs and two Ceiling Speakers	Mixer: Black Speakers: White	360°	Echo Canceling



Featuring **PN 999-85100-000**, these CeilingMICs are an economical alternative to custom installs for drop tile ceilings and open-ceiling environments.

Integrate Traditional AV Designs with USB-Based Applications: AV Bridges

Vaddio PN	Description	
999-8240-000	AV Bridge Mini A/V Encoder	
999-8250-000	AV Bridge 2x1	Best for Multi-Camera Installs
999-9595-070	OneLINK Bridge Express for Vaddio HDBaseT Cameras	Plug & Play



999-9595-070

THE ART OF EASY

Auto-Framing and Tracking Cameras

Vaddio PN	Description	Available Colors	Room Size	Zoom
999-21100-000	IntelliSHOT ePTZ	Black / White	Medium to Large Rooms	30x
999-21050-000	ConferenceSHOT ePTZ	Black	Huddle Space	5x

Adjust Auto-Framing to Room Conditions & User Preferences 

Use with Existing Audio System 



999-21050-000 delivers a dynamic, hands-free video experience that recreates the one-to-one video conference experience, ideal for hybrid working environments.

RoboSHOT and Pro AV Cameras

Vaddio PN	Description	Available Colors	Room Size	Zoom
999-9968-200	In-ceiling Recessed DocCAM 20 HDBT with OneLINK HDMI Extension System	White	-	20x
999-99600-270	RoboSHOT 12E PTZ with OneLINK Bridge Express Extension System	Black / White	Small Conference Room	12x
999-99630-270W	RoboSHOT 30E PTZ Camera with OneLINK Bridge Express Extension System		Large Conference Room / Large Venue	30x
999-99200-000	RoboSHOT 12E USB PTZ Camera		Small Conference Room	12x
999-99230-000W	RoboSHOT 30E USB PTZ Camera		Large Conference Room / Large Venue	30x

Great for Wide Angle Views 

Plug & Play 

Plug & Play 



999-99600-270

SOLUTIONS FOR EVERY SPACE



Conferencing has changed forever, sending everyone from SMBs to Fortune 100's seeking transformative workplace experiences to ensure employees feel like valuable members of the team, no matter where they are. And as much as your customers need these solutions yesterday there is a common 'wait and see' approach. We get it. Meeting the expectations of a changing work environment can be challenging. Luckily, we love a challenge.


You can build their confidence by presenting easily adaptable solutions that can be used in multiple ways, changing in tandem with their organization's needs. And we can help you do just that—from a simple video conferencing cart to a multi-camera hybrid collaboration space with accessible, interactive technologies, Legrand | AV solutions create the best seat in the house for all employees.

[EXPLORE OUR ENTIRE CONFERENCING SPACE COLLECTION](#)

SOLUTIONS FOR EVERY SPACE

Big Conference Rooms for Big Ideas


[+ DOWNLOAD PARTS LIST](#)



SOLUTIONS FOR EVERY SPACE

A Conference Room Made Anywhere

[+ DOWNLOAD PARTS LIST](#)




Thunderbolt USB-C to HDMI Cat6 HDBT Cat6 Network and PoE (+, ++)

Network Power USB HDMI Audio Speaker

SOLUTIONS FOR EVERY SPACE

Flexing the Huddle Space

[+ DOWNLOAD PARTS LIST](#)



THE HOT 100

 **legrand**® | AV

AMAZING AV EXPERIENCES

USA 800.506.9607 | c2g.com | legrandav.com | customer-service@c2g.com

EMEA +31 495 580 840 | c2g.com/uk | legrandav.com | c2g.emea@av.legrand.com

©2022 Legrand AV Inc. 210839 Rev B 6/22 C2G is a registered trademark of Legrand AV Inc. All other brand names or marks are used for identification purposes and are trademarks of their respective owners. All patents are protected under existing designations. Other patents pending.

LEGRAND | AV COMMERCIAL BRANDS

C2G | Chief | Da-Lite | Luxul | Middle Atlantic | Vaddio | Wiremold