

Lenovo
ThinkSystem

Lenovo
ThinkAgile

Lenovo

LENOVO SOLUTIONS FOR THE EDGE TO THE DATA CENTER

Portfolio Guide



February 2023

Contents

Celebrating 30 Years of ThinkSystem Innovation	3
ENABLING THE FUTURE	4
DATA CENTER AND EDGE INFRASTRUCTURE	5
ThinkSystem Rack & Tower Servers	5
ThinkSystem High End	14
ThinkSystem Blades	17
ThinkSystem Dense-Optimised	18
ThinkSystem and ThinkEdge Edge Solutions	22
Storage	24
ThinkSystem DM Series	23
ThinkSystem DE Series	25
Lenovo Fibre Channel Switches	27
Direct Attach Storage (JBOD)	28
Tape Archive Solutions	29
OEM Solutions	30
Software-Defined Infrastructure	34
ThinkAgile SX for Microsoft Azure Stack	35
Hyperconverged Infrastructure	35
ThinkAgile MX Series	36
ThinkAgile HX Series	38
ThinkAgile VX Series	43
ThinkAgile Advantage Support for Appliances and Certified Nodes	48
Software for Your Infrastructure	49
Lenovo XClarity	50
Computing Orchestration and Cloud Automation	51
Windows® Server	52
Red Hat® Enterprise Linux®	53
SUSE® Linux Enterprise Server	53
Virtualization	54
Data Protection	55
Solutions	55
Lenovo DSS-G	56
Lenovo Showcase	57
Lenovo Services	58
Infrastructure Services Lifecycle	59
Lenovo TruScale	60

Celebrating 30 Years of ThinkSystem Innovation

On September 21, 2022, Lenovo celebrated the 30th anniversary of the PS/2 x86 server which has evolved into today's ThinkSystem brand. The x86 server was a pivotal breakthrough in enterprise computing technology that enabled an open ecosystem for innovation and propelled businesses into the modern information era.

As global digitalization accelerates, Lenovo's newly announced Infrastructure Solutions V3, anchored by ThinkSystem, provides an open architecture with advanced management, superior reliability, and extended security to help companies harness the new era of IT.

Infrastructure Solutions V3 is the most comprehensive portfolio enhancement in Lenovo's history, unveiling new end-to-end infrastructure solutions and services optimized to accelerate global IT modernization with advanced performance, security, and sustainable computing capabilities. Infrastructure Solutions V3 delivers industry-leading innovations to help companies of all sizes more easily deploy and manage hybrid multi-cloud and edge environments, as well as traditional and AI workloads across retail, manufacturing, financial, healthcare, telecom industries and more.

Over the last three decades, we've continued to re-define what is possible under the ThinkSystem brand, delivering breakthrough performance and efficiency to power the next 30 years of innovation and help solve humanity's greatest challenges.

Lenovo is proud to celebrate our past, honor our present, while focusing on accelerating the intelligent transformation to smarter technology for all. Cheers to the next 30 years!

ENABLING THE FUTURE

By providing the strongest foundation of performance, reliability and security in the industry, Lenovo delivers an Edge to Cloud portfolio of compute, storage and networking capabilities that seamlessly integrate and interoperate with any environment. To accelerate deployment and reduce time-to-value, Lenovo offers a suite of pre-tested and pre-engineered solutions, ready-to-deploy clients' workloads. Every phase of the IT lifecycle is taken care of by Lenovo Services, which help clients deliver the most from their technology investment.

- **Most reliable:** Lenovo servers ranked No.1 in uptime of any x86 systems for the past 8 years running, according to 2021 ITIC reliability survey¹.
- **Most secure:** Lenovo provides the best and most airtight platform security with our Trusted Platform Assurance. Even after adding options at additional cost, our competitors offer fewer security capabilities than come standard on Lenovo ThinkSystem.
- **Strategic Relationships:** Unlike our major competitors, Lenovo does not have a proprietary software business and remains more open for industry leading partnerships. Because of this, Lenovo's customers can benefit from an open standards strategy that allows them to grow and change their IT systems as needed.

With our ever-growing portfolio, powered by the Intel® Xeon® processor Scalable family, with open, modular technologies designed to adapt easily and scale quickly, Lenovo's clients can excel and accelerate into the future. Find out more about:

- **ThinkSystem:** Server, storage and networking solutions that deliver the industry's best combination of performance, flexibility, and reliability.
- **ThinkAgile:** Next generation IT software-defined infrastructure that's easier to deploy and manage, and reduces costs and complexity.
- **ThinkEdge:** Unleash the power of AI solutions at the Edge, by taking purpose built server compute power closer to the source of the data.

¹ITIC 2021 Global Hardware, Server OS Reliability Report 2 Lenovo's Data Center Group is dual headquartered and managed from Morrisville, NC, USA. We are experienced with over 25 years in the data center business. We build our datacenter products in Lenovo owned and controlled factories in each of the regions we operate. This gives us greater control over quality and supply chain security than our competitors have.

DATA CENTER AND EDGE INFRASTRUCTURE

Lenovo

By providing the strongest foundation of performance, reliability and security in the industry, Lenovo delivers an end-to-end portfolio of compute, storage and networking capabilities that seamlessly integrate and interoperate with any environment.

ThinkSystem RACK & TOWER SERVERS

Flexible for even the most demanding workloads

Driving new levels of storage density and connectivity, Lenovo ThinkSystem servers powered by Intel® Xeon® Scalable processor family are the ideal platform to host private and public cloud, virtualisation, VDI, web serving, analytics, and big data solutions.

Trust Lenovo to be your expert. Single point of contact for hardware, firmware, and software support.

If you would like to find out more specific details regarding the products below, please visit our [Servers & Storage Page](#), remember to scroll down to find the products you are looking for.

If you are looking for a feature comparison visit our dedicated [Server Comparison Page](#).

All our rack servers can be found at [Lenovo ISG Rack Servers](#).

Lenovo
ThinkSystem


TOWER SERVERS

Lenovo



Spec Category	ThinkSystem ST650 V2	ThinkSystem ST250 V2
Form Factor	4U rackable tower	4U rackable tower
Processor	Up to 2x 3rd Gen Intel® Xeon® Scalable processors 250W, up to 36C per CPU	1x Intel® Xeon® E-2300 processor or 1x Intel® Pentium® processor, up to 8C/95W
GPU Support	Supports up to 8x single-width or 4x double-width GPUs	1x NVIDIA Quadro T1000
Memory	Up to 32x TruDDR4 RDIMM slots; Intel® Optane™ PMem 200 Series	Up to 4x TruDDR4 UDIMM slots
Drive Bays	Up to 32x 2.5" bays (including 16 NVMe bays) or 16x 3.5" bays (including 8 NVMe bays)	Various 2.5" and 3.5" simple- or hot-swap SATA/SAS/NVMe drives; 2x 5.25" media bays; optional M.2 mirroring kit (supports 2x SATA M.2 drives; installs in PCIe slot)
Expansion Slots	Up to 8x PCIe 4.0 slots plus 1x PCIe 3.1 slot (with 2x processors)	Various PCIe slots with PCIe Gen3 lanes
Product Guide	https://lenovopress.com/lp1390	https://lenovopress.com/lp1548

Lenovo
ThinkSystem





Spec Category	 	
	ThinkSystem ST50 V2	ThinkSystem ST550
Form Factor	4U rackable tower	4U rackable tower
Processor	1x Intel® Xeon® E-2300 processor or 1x Intel® Pentium® processor, up to 8C/95W	Up to 2x 2nd Gen Intel® Xeon® Platinum processors 125W, up to 22 cores per CPU
GPU Support	1x NVIDIA Quadro T1000	Supports up to 2x GPUs
Memory	Up to 4x TruDDR4 UDIMM slots	Up to 12x TruDDR4 RDIMM slots
Drive Bays	2x 3.5" HDDs (1x default; 1x optional); 1x 2.5" HDDs; 1x NVMe M.2 SSD Module; 1x Slim ODD bay	Up to 16x 2.5" (including 4 NVMe) or 8x 3.5" bays; Plus up to 4x 2.5" and 2x internal M.2 boot
Expansion Slots	PCIe x16 slot with Gen4 x16 lanes; PCIe x1 slot with Gen3 x1 lanes; PCIe x16 slot with Gen3 x4 lanes	Up to 6x PCIe Gen3 (with 2x processors)
Product Guide	https://lenovopress.com/lp0960	https://lenovopress.com/lp1055

RACK SERVERS





Lenovo



Spec Category	ThinkSystem SR675 V3 	ThinkSystem SR665 V3 
Form Factor	3U rack	2U rack
Processor	1x or 2x 4th Generation AMD EPYC™ Processors per node	Up to 2x 4th Gen AMD EPYC™ Processors
GPU Support	Up to 8x DW, 4x SXM5	Up to 8x single-width LP GPUs or 3x double-width 350W GPUs for graphics-intensive workloads
Memory	Up to 24x TruDDR5 RDIMM slots	Up to 24x TruDDR5 RDIMM slots
Drive Bays	Up to 8x 2.5" SAS/SATA/NVMe drives, Various base, dense and HGX module configurations	Up to 20x 3.5" or 40x 2.5" drives
Expansion Slots	Up to 6x PCIe 5.0 x16 adapters (2 front, 4 rear) and 1x OCP NIC 3.0 (x16/x8/x4) (rear)	Up to 10x PCIe 4.0 or 4x PCIe 5.0 slots; 1x OCP 3.0 adapter slot
Product Guide	https://lenovopress.com/lp1611	https://lenovopress.com/lp1608
Spec Category	ThinkSystem SR655 V3 	ThinkSystem SR650 V3 
Form Factor	2U rack	2U rack
Processor	One 4th Generation AMD EPYC™ Processor, up to 96 Zen 4 cores	Up to 2x 4th Gen Intel® Xeon® Scalable processors
GPU Support	Up to 8x single-width or 3x double-width GPUs for graphics-intensive workloads	Up to 8x single-width or 3x double-width GPUs for graphics-intensive workloads
Memory	Up to 12x TruDDR5 DIMM slots	Up to 32x TruDDR5 3DS/RDIMMs
Drive Bays	Up to 20x 3.5" or 40x 2.5" drives; hot-swap drive bay Combinations of SAS/SATA, NVMe, or AnyBay	Up to 40x SAS/STA drives or 36x low-latency NVMe drives for high performance storage
Expansion Slots	Up to 12x PCIe Gen4/Gen5 slots, 1x OCP 3.0 adapter slot	Up to 12x PCIe 4.0/5.0 slots + 1 OCP 3.0 slot for I/O flexibility
Product Guide	https://lenovopress.com/lp1610	https://lenovopress.com/lp1601


Lenovo
ThinkSystem

Spec Category	ThinkSystem SR645 V3 	ThinkSystem SR635 V3 
Form Factor	1U rack	1U rack
Processor	Up to 2x 4th Gen AMD EPYC™ Processors	One 4th Generation AMD EPYC™ Processor, up to 96 Zen 4 cores
GPU Support	Up to 4x single-width GPUs for graphics-intensive workloads	Up to 3x single-width GPUs for graphics-intensive workloads
Memory	Up to 24x TruDDR5 RDIMM slots	Up to 12x TruDDR5 DIMM slots at 1DPC
Drive Bays	Up to 4x 3.5" or 12x 2.5" drives; Up to 16x EDSFF drives for high performance storage	Up to 12x 2.5" hot-swap drive bays; Up to 16x EDSFF drives for high performance storage
Expansion Slots	Up to 3x PCIe 4.0 + 2x PCIe 5.0 slots, 1x OCP 3.0 adapter slot	Up to 5x PCIe 4.0 slots and up to 2x PCIe 5.0 slots; Up to 64x lanes via onboard NVMe connectors
Product Guide	https://lenovopress.com/lp1607	https://lenovopress.com/lp1609
Spec Category	ThinkSystem SR630 V3 	ThinkSystem SR650 V2 
Form Factor	1U rack	2U rack
Processor	Up to 2x 4th Gen Intel® Xeon® Scalable processors 350W	Up to 2x 3rd Gen Intel® Xeon® Scalable processors 270W, up to 40C per CPU
GPU Support	Supports up to 3x single-width GPUs	Supports up to 8x single-width or 3x double-width GPUs
Memory	Up to 32x TruDDR5 3DS/RDIMMs	Up to 32x TruDDR4 RDIMM slots; Intel® Optane™ PMem 200 Series
Drive Bays	Up to 4x 3.5" or 12x 2.5" or 16x EDSFF E1.S hot swap drives	Up to 20x 3.5" or 40x 2.5" drives; Up to 32x NVMe supported with NVMe switch adapters; M.2 & 7mm boot
Expansion Slots	Up to 5x PCIe 4.0/5.0 slots + 1x OCP 3.0 for I/O flexibility	Up to 8x PCIe 4.0 slots, 1x OCP 3.0 slot, 1x cabled HBA/RAID adapter
Product Guide	https://lenovopress.com/lp1600	https://lenovopress.com/lp1392



Spec Category	ThinkSystem SR630 V2 	ThinkSystem SR250 V2 
Form Factor	1U rack	1U rack
Processor	Up to 2x 3rd Gen Intel® Xeon® Scalable processors 270W, up to 40C per CPU	1x Intel® Xeon® E-2300 processor or 1x Intel® Pentium® processor, up to 8C/95W
GPU Support	Supports up to 3x single-width GPUs	1x NVIDIA® Quadro T1000 or T400
Memory	Up to 32x TruDDR4 RDIMM slots; Intel® Optane™ PMem 200 Series	Up to 4x TruDDR4 UDIMM slots
Drive Bays	Front & rear drive bays of various 2.5", 3.5" and EDSFF drives; up to 12x NVME drives supported; 2x M.2 boot drives	Various 2.5" and 3.5" simple- or hot-swap SATA/SAS/NVMe drives; optional SATA mirrored M.2 boot drive kit
Expansion Slots	Up to 3x PCIe 4.0 slots, 1x OCP 3.0 slot, 1x cabled HBA/RAID adapter	2x PCIe 4.0 x8 slots or 1x PCIe 4.0 x16 slot; 1x PCIe 4.0 x8 (x4 interface) internal RAID slot
Product Guide	https://lenovopress.com/lp1391	https://lenovopress.com/lp1549
Spec Category	ThinkSystem SR670 	ThinkSystem SR665 
Form Factor	2U rack	2U rack
Processor	2x 2nd Gen Intel® Xeon® Scalable processors 205W, up to 28 cores per CPU	Up to 2x AMD EPYC™ 7002 / 7003 Series processors 280W, up to 64 cores
GPU Support	Supports up to 4x high-performance GPUs	Supports up to 8x single-width or 3 double-width GPUs
Memory	Up to 24x TruDDR4 RDIMM slots	Up to 32x TruDDR4 RDIMM slots
Drive Bays	Up to 8x 2.5" hot-swap SSD or HDD SATA drives in rear bays; up to 2x non-hot-swap M.2 SSDs, 6Gbps SATA in internal bays	Up to 20x 3.5" or 40x 2.5" hot-swap drives
Expansion Slots	Up to 3 PCIe adapters: 2x PCIe 3.0 x16 + 1x PCIe 3.0 x4 slots	Up to 8x PCIe 4.0 slots, 1x OCP 3.0 adapter slot
Product Guide	https://lenovopress.com/lp1051	https://lenovopress.com/lp1161

Spec Category	ThinkSystem SR655 	ThinkSystem SR650 
Form Factor	2U rack	2U rack
Processor	Choice of one AMD EPYC™ 7002 / 7003 Series processors 280W, up to 64 cores	Up to 2x 2nd Gen Intel® Xeon® Platinum processors 205W, up to 28C per CPU
GPU Support	Supports 2x double-width or 6x single-width GPUs	Supports up to 5x single-width and 2x double-width GPUs
Memory	Up to 16x TruDDR4 RDIMM slots	Up to 24x TruDDR4 RDIMM slots; Intel® Optane™ PMem 100 Series
Drive Bays	Up to 20x 3.5" or 32x 2.5" drives; Maximum of 32x NVMe drives with 1:2 connection	Up to 14x 3.5" or 24x 2.5" hot-swap bays (up to 12 AnyBay bays or 24 NVMe bays); up to 2x M.2 boot
Expansion Slots	8x PCIe 4.0 rear slots, 1x OCP 3.0 adapter slot, 1x PCIe 4.0 x8 internal slot	Up to 7x PCIe 3.0 via multiple options; 1x PCIe slot for RAID adapter
Product Guide	https://lenovopress.com/lp1161	https://lenovopress.com/lp1050
Spec Category	ThinkSystem SR645 	ThinkSystem SR635 
Form Factor	1U rack	1U rack
Processor	Up to 2x AMD EPYC™ 7002 / 7003 Series processors 280W, up to 64 cores per CPU	Choice of one AMD EPYC™ 7002 / 7003 Series processors 280W, up to 64 cores
GPU Support	Supports up to 3x single-width GPUs	Supports up to 3x single-width GPUs
Memory	Up to 32x TruDDR4 RDIMM slots	Up to 16x TruDDR4 RDIMM slots
Drive Bays	Up to 4x 3.5" or 12x 2.5" drives; Maximum of 12x NVMe drives with 1:1 connection	Up to 4x 3.5" or 16x 2.5" drives; Supports 16x NVMe drives with 1:1 connection (no oversubscription)
Expansion Slots	Up to 3x PCIe 4.0 slots, 1x OCP 3.0 adapter slot	3x PCIe 4.0 x16 rear slots, 1x OCP 3.0 adapter slot, 1x PCIe 4.0 x8 internal slot
Product Guide	https://lenovopress.com/lp1280	

Spec Category	ThinkSystem SR630 	ThinkSystem SR590 
Form Factor	1U rack	2U rack
Processor	Up to 2x 2nd Gen Intel® Xeon® Platinum processor 205W, up to 28C per CPU	Up to 2x 2nd Gen Intel® Xeon® Platinum processor 150W, up to 26 cores per CPU
GPU Support	Supports up to 3x single-width GPUs	No GPU support
Memory	Up to 24x TruDDR4 RDIMM slots; Intel® Optane™ PMem 200 Series	Up to 16x TruDDR4 RDIMM slots; Intel® Optane™ PMem 100 Series
Drive Bays	Up to 12 bays with various hot-swap SAS/SATA drives; or 10x hot-swap U.2; up to 2x mirrored M.2 boot	Up to 16x 2.5" or 14x 3.5" hot-swap or up to 8x 3.5" simple-swap; optional 4x AnyBay bays
Expansion Slots	Up to 4x PCIe 3.0 slots (with two CPUs), including 1x dedicated PCIe for RAID adapter	Up to 6x PCIe 3.0 on replaceable riser cards for multiple I/O configurations
Product Guide	https://lenovopress.com/lp1049	https://lenovopress.com/lp1048

Spec Category	ThinkSystem SR570 
Form Factor	1U rack
Processor	Up to 2x 2nd Gen Intel® Xeon® Platinum processor 150W, up to 24 cores per CPU
GPU Support	No GPU support
Memory	Up to 16x TruDDR4 RDIMM slots; Intel® Optane™ PMem 100 Series
Drive Bays	Up to 10x 2.5" (including opt. 4x direct-connect AnyBay) or up to 4x 3.5"
Expansion Slots	Up to 3x PCIe 3.0 (Slot 1: PCIe 3.0 x8; Slot 2: PCIe 3.0 x16 or ML2 x8; Slot 3: PCIe 3.0 x8 or x16)
Product Guide	https://lenovopress.com/lp1047

Lenovo
ThinkSystem

Spec Category	ThinkSystem SR550 	ThinkSystem SR530 
Form Factor	2U rack	1U rack
Processor	Up to 2x 2nd Gen Intel® Xeon® Platinum processor 125W, up to 22 cores per CPU	Up to 2x 2nd Gen Intel® Xeon® Platinum processor 125W, up to 22 cores per CPU
GPU Support	No GPU support	No GPU support
Memory	Up to 12x TruDDR4 RDIMM slots	Up to 12x TruDDR4 RDIMM slots
Drive Bays	Up to 16x hot-swap 2.5" or 12x hot-swap 3.5" or 8x simple-swap 3.5"; plus up to 2x mirrored M.2 boot	8x 2.5" hot-swap SAS/SATA; or 4x 3.5" hot-swap SAS/SATA; or 4x 3.5" simple-swap SATA; up to 2x M.2 boot
Expansion Slots	Up to 6x PCIe 3.0 (with 2x processors) via multiple riser options (PCIe-only or PCIe + ML2)	Up to 3x PCIe 3.0, via multiple riser options (either all-PCIe, or PCIe and ML2)
Product Guide	https://lenovopress.com/lp1046	https://lenovopress.com/lp1045

ThinkSystem HIGH END

Designed with your mission-critical workloads in mind

Lenovo's high-end rack servers are suited for heavy vertical workloads, virtualisation and legacy system replacements. The ThinkSystem portfolio brings new models designed for your most demanding, mission-critical workloads, such as in-memory databases, large transactional databases, batch and real-time analytics, ERP, CRM, and virtualised server workloads.

Everything within reach. Unmatched scalability with 4S & 8S in one 4U platform, modular drive tray, highest drive density, front and rear access for 12% faster serviceability.

For more specific details regarding the products below, our [Servers & Storage Page](#).

If you are looking for a feature comparison visit our dedicated [Server Comparison Page](#).

All our rack servers can be found at [Lenovo ISG Rack Servers](#).

Spec Category	ThinkSystem SR860 V3	ThinkSystem SR850 V3
Form Factor	4U rack	2U rack
Processor	2x or 4x 4th Gen Intel® Xeon® Scalable processors, up to 350W	2x or 4x 4th Gen Intel® Xeon® Scalable processors, up to 350W
GPU Support	Up to 4 double-width or 8 single-width GPUs	Up to 2 double-width or 4 single-width GPUs
Memory	Up to 64 DDR5 RDIMMs or 3DS RDIMMs	Up to 64 DDR5 RDIMMs or 3DS RDIMMs
Drive Bays	Up to 48x 2.5" drives; Supports up to 24x direct connection NVMe drives; 2x 7mm or 2x M.2 drives for boot	Up to 24x 2.5" drives; Supports up to 24x direct connection NVMe drives; 2x 7mm or 2x M.2 drives for boot
Expansion Slots	Up to 18x PCIe 4.0/5.0 + 2x OCP 3.0 slots	Up to 12x PCIe 4.0/5.0 + 2x OCP 3.0 slots
Product Guide	https://lenovopress.com/lp1606	https://lenovopress.com/lp1605

Spec Category	ThinkSystem SR860 V2 	ThinkSystem SR850 V2 
Form Factor	4U rack	2U rack
Processor	2x or 4x 3rd Gen Intel® Xeon® Scalable processors	2x or 4x 3rd Gen Intel® Xeon® Scalable processors
GPU Support	G200 graphics with 16MB memory and 2D hardware accelerator	G200 graphics with 16MB memory and 2D hardware accelerator
Memory	Up to 12TB in 48x slots using 256GB DIMMs; Intel® Optane™ PMem 200 Series	Up to 12TB of in 48x slots using 256GB DIMMs; Intel® Optane™ PMem 200 Series
Drive Bays	Up to 48x 2.5" drives; Supports up to 24x NVMe drives (16x with 1:1 connection); 2x 7mm or 2x M.2 drives for boot	Up to 24x 2.5" drives; Supports up to 24x NVMe drives (16x with 1:1 connection); 2x 7mm drives for boot
Expansion Slots	Up to 14x PCIe 3.0 expansion slots	Up to 7x PCIe 3.0 expansion slots
Product Guide	https://lenovopress.com/lp1302	https://lenovopress.com/lp1301

Spec Category	ThinkSystem SR950 	ThinkSystem SR860 
Form Factor	4U rack	4U rack
Processor	4x or 8x 2nd Gen Intel® Xeon® Scalable processors	2x or 4x 2nd-gen Intel® Xeon®
GPU Support	G200 graphics with 16MB memory and 2D hardware accelerator	G200 graphics with 16MB memory and 2D hardware accelerator
Memory	Up to 24TB in 96x slots using 256GB DIMMs; Intel® Optane™ PMem	Up to 6TB in 48x slots using 128GB DIMMs; Intel® Optane™ PMem
Drive Bays	Up to 24x 2.5" bays supporting SAS/SATA HDD/SSDs, including 12x 2.5" NVMe SSDs	Up to 16x 2.5" storage bays supporting SAS/SATA HDD and SSDs or up to 8x 2.5" NVMe SSD; plus up to 2x mirrored M.2 boot
Expansion Slots	Up to 17x rear PCIe, 2x shared ML2 adapter, 1x LOM, plus 2x internal (RAID or HBA)	Up to 11x PCIe plus 1x LOM; optional 1x ML2 slot
Product Guide	https://lenovopress.com/lp1054	https://lenovopress.com/lp1053

Spec Category	ThinkSystem SR850P 	ThinkSystem SR850 
Form Factor	2U rack	2U rack
Processor	4x 2nd Gen Intel® Xeon® Scalable processors	2x or 4x 2nd Gen Intel® Xeon® Scalable processors
GPU Support	G200 graphics with 16MB memory and 2D hardware accelerator	G200 graphics with 16MB memory and 2D hardware accelerator
Memory	Up to 6TB in 48x slots using 128GB DIMMs; Intel® Optane™ PMem	Up to 6TB in 48x slots using 128GB DIMMs; Intel® Optane™ PMem
Drive Bays	Up to 16x 2.5" storage bays supporting SAS/SATA HDD/SSD or up to 8x 2.5" NVMe SSD; plus up to 2x mirrored M.2 boot	Up to 16x 2.5" storage bays supporting SAS/SATA HDD and SSDs or up to 8x 2.5" NVMe SSD; plus up to 2x mirrored M.2 boot
Expansion Slots	Up to 8x PCIe (with four x16) plus 1x LOM	Up to 9x PCIe plus 1x LOM; optional 1x ML2 slot
Product Guide	https://lenovopress.com/lp1237	https://lenovopress.com/lp1052

ThinkSystem BLADES




The orchestration platform for conducting tomorrow's business

Flexible infrastructure for ever- changing workloads. Resource management that leverages both hardware and systems management.

Flex System uses the latest generation of Intel Xeon SP to deliver more performance and bandwidth and far more capability to consolidate and virtualize than previous systems. Flex System is anchored by the Flex System Enterprise Chassis which enables high-speed performance with integrated servers and networking. Furthermore, its flexible design can meet the needs of varying workloads with independently scalable IT resource pools for higher utilization and lower cost per workload.

[More info on chassis](#)

Lenovo



Spec Category	ThinkSystem SN550 V2 	ThinkSystem SN550 	ThinkSystem SN850 
Form Factor	Standard width blade for Flex System Chassis	Standard width blade for Flex System Chassis	Double-wide blade for Flex System Chassis
Processor	Up to 2x 3rd-gen Intel® Xeon® Scalable processors	Up to 2x 2nd-gen Intel® Xeon® Processor Scalable family	2x or 4x Intel® Xeon® Platinum processors
GPU Support	G200 graphics with 16MB memory and 2D hardware accelerator	G200 graphics with 16MB memory and 2D hardware accelerator	G200 graphics with 16MB memory and 2D hardware accelerator
Memory	Up to 2TB in 16x slots, using 128GB DIMMs; Intel® Optane™ PMem	Up to 3TB in 24x slots, using 128GB DIMMs	Up to 6TB in 48x slots, using 128GB DIMMs; Intel® Optane™ PMem
Drive Bays	2x 2.5-inch hot-swap drive bays or 6x EDSFF E1.S hot-swap drive bays	2x 2.5" hot-swap drive bays supporting SSDs or HDDs	Up to 4x 2.5-inch storage bays SAS/SATA HDDs/SSDs, or NVMe/U.2 SSDs; plus 1x or 2x (mirrored) M.2 fixed boot drives
Expansion Slots	Up to 2x PCIe 4.0 x16 mezzanine slots for Ethernet and Fibre Channel adapters	Up to 2x PCIe x16 mezzanine adapters	Up to 4x PCIe x16 mezzanine adapters
Product Guide	https://lenovopress.com/lp1397	https://lenovopress.com/lp1043	https://lenovopress.com/lp1044

ThinkSystem DENSE-OPTIMISED

Ready to adapt when you are



Powerful platforms for compute-intensive workloads, ranging from technical computing, to grid deployments, to analytics workloads, to large-scale cloud and virtualisation infrastructures.

Lenovo

Spec Category	ThinkSystem SD650 V3 	ThinkSystem SD650-I V3 
Form Factor	Full-wide 1U tray; 2 nodes per tray	Full-wide 1U tray; 1 node + GPUs per tray
Processor	2x 4th Gen Intel® Xeon® Scalable processors per node	Up to 2x 4th Gen Intel® Xeon® Scalable processors or 2x Intel® Xeon® CPU Max processors
GPU Support	No GPU support	4x Intel Data Center GPU Max GPUs
Memory	Up to 16x TruDDR5 RDIMMs	Up to 16x TruDDR5 RDIMMs
Drive Bays	Up to 4x 7mm or 2x 15mm U.2/SATA, no drive/backplane choice and 1 x liquid cooled M.2 NVMe SSD, providing both the boot drive and storage function	Up to 4x 7mm or 2x 15mm U.2/SATA, no drive/backplane choice and 1 x liquid cooled M.2 NVMe SSD, providing both the boot drive and storage function
Expansion Slots	2x x16 PCIe Gen5 LP slots	2x x16 PCIe Gen5 LP slots
Product Guide	https://lenovopress.com/lp1603	https://lenovopress.com/lp1602

Lenovo
ThinkSystem

Spec Category	ThinkSystem SD665 V3 	ThinkSystem SD665-N V3 
Form Factor	6U rack-mount with up to 6 trays	Full-wide 1U tray; 1 node + GPUs per tray
Processor	Up to 2x 4th Generation AMD EPYC™ Processors 400W, up to 96 cores	1x or 2x 4th Generation AMD EPYC™ processors
GPU Support	No GPU support	4x NVIDIA HGX™ H100 GPUs with NVLink for acceleration
Memory	Up to 24x 128GB TruDDR5 RDIMM slots	Up to 12x TruDDR5 RDIMMs
Drive Bays	Up to 4x SSDs/NVMe U.2; 1x M.2 local storage	Up to 2x 2.5" NVMe SSDs (7mm height) or 1x 2.5" NVMe SSDs (15mm height) per node
Expansion Slots	Support for InfiniBand	NVIDIA Connect X-7 4-chip VPI PCIe Gen5 Mezz Board for GPU direct I/O
Product Guide	https://lenovopress.com/lp1612	https://lenovopress.com/lp1613
Spec Category	ThinkSystem SD650 V2 	ThinkSystem SD650-N V2 
Form Factor	1U rack	6U rack with 6 trays
Processor	2x 3rd-gen Intel® Xeon® Scalable processors	2x 3rd-gen Intel® Xeon® Scalable processors per node
GPU Support	No support	Four NVIDIA HGX A100 GPUs in a 4-GPU NVLink configuration
Memory	Up to 2TB using 16x 128GB 3200MHz TruDDR4 DIMMs per node	Up to 2.0TB using 16x 128GB 3200MHz TruDDR4 RDIMMs per tray
Drive Bays	2x 2.5" SATA SSDs (7mm height) or 1x 2.5" NVMe SSDs (15mm height) per node; up to 2x M.2 SATA SSDs for operating system boot functions	2x 2.5" slim SATA / NVMe U.2 SSD and 2x M.2 SATA SSD; SW RAID and Intel VROC for Intel drives only
Expansion Slots	Up to 2x PCIe Gen4 x16 low-profile adapter slots per node for HDR InfiniBand or Intel Omni Path	2x x16 PCIe Gen4 LP per tray
Product Guide	https://lenovopress.com/lp1395	https://lenovopress.com/lp1396

Spec Category	ThinkSystem SD630 V2 	ThinkSystem SD530 
Form Factor	2U rack; 4x compute nodes	2U rack; 4x compute nodes
Processor	2x 3rd-gen Intel® Xeon® Processor Scalable family CPUs, up to 250W	Up to 2x 2nd-gen Intel® Xeon® Platinum processors
GPU Support	No support	1 or 2 GPU cards
Memory	Up to 1TB using 16x 64GB 3200MHz TruDDR4 DIMMs per node	Up to 2TB using 16x 128GB 3DS RDIMMs; 2933MHz TruDDR4
Drive Bays	2x 7mm 2.5" or 1x 15mm 2.5" hot-swap drives, supporting SATA or NVMe SSDs; SW RAID; Intel VROC NVMe RAID-0 or RAID-1; 2x M.2 SATA SSDs for boot functions	Up to 24x hot-swap 2.5" SAS/SATA HDDs/SSDs; up to 16x hot-swap 2.5" NVMe SSDs
Expansion Slots	1x PCIe Gen 4 x16 low profile slot	1x shuttle per D2 enclosure: either x8 PCIe Shuttle with 8x PCIe 3.0 x8 slots; or x16 PCIe Shuttle with 4x PCIe 3.0 x16 slots
Product Guide	https://lenovopress.com/lp1394	

Lenovo ThinkSystem SD665 V3 and SD665-N V3 combine the latest fourth generation AMD EPYC processors and Lenovo's market-leading water cooling solution, which results in extreme performance in an extreme dense packaging.

Direct water cooling is part of Lenovo's Neptune family of liquid cooling technologies which drive both greater energy efficiency and higher performance. Lenovo Neptune's approach uses liquid cooling to dissipate heat from systems with high thermal output, which, combined with Energy Aware Run time environments, enables data centers to run up to 40% more efficiently while maintaining uncompromised performance and preserving a dense data center footprint.

With direct water cooling, Lenovo drives increased compute density, performance, and cooling efficiency for High Performance Computing and other workloads that require dense compute performance, such as Cloud, Grid, and Analytics. Direct water cooling is achieved by circulating the cooling water directly through cold plates that contact the CPU thermal case, DIMMs, and other high-heat-producing components in the server.

One of the main advantages of direct water cooling is the water can be relatively warm and still be very effective, as water conducts heat much more effectively than air. Depending on the server configuration, up to 100%* of the heat is removed by water cooling; the rest can easily be managed by a standard computer room air conditioner. With allowable inlet temperatures for the water being as high as 50°C (122°F), in many cases the water can be cooled by using ambient air and chilled water and a heat exchanger is not required.

*Depending on the environment (ie. water temp.)



Lenovo
ThinkSystem

ThinkSystem and ThinkEdge EDGE SOLUTIONS



Lenovo

Overview

The world is more connected than ever, and most data is now being generated outside of the data center. Lenovo is here to help you speed things up by defining your IoT strategy and bringing compute capabilities wherever you need them. We also bring AI to the edge for faster processing with purpose-built solutions that use high-performance GPUs and your choice of integrated storage and data management.

Benefits

Our edge servers are rugged and secure with ThinkShield protection- covering physical tamper- proofing, secure BIOS and data encryption, and the ability to withstand conditions of all kinds. With a range of capabilities from small IoT devices to larger multi GPU systems, no matter what you need, we'll find the right solution for you.

Spec Category	ThinkSystem SE450 	ThinkSystem SE350 
Form Factor	2U	1U
Processor	1x 3rd Gen Intel® Xeon® Platinum processor, up to 36 cores	1-socket Intel® Xeon® D-2100 100W, up to 16 cores
GPU Support	Up to 4x single-width or 2x double-width GPUs	1x NVIDIA® T4 GPU for AI inference
Memory	Up to 1TB in 8x slots using 128GB DIMMs; 10x DDR4 memory slots; 2x Intel® Optane™ PMem 200 Series	Up to 256GB in 4x slots, using 64GB DIMMs
Drive Bays	Up to 6x 2.5-inch 7mm drives; Up to 6x NVMe drives supported; 2x M.2 boot drives (RAID 1)	Various M.2 2280 SATA boot drives and M.2 22110 NVMe data storage drive options
Expansion Slots	Up to 4x PCIe 4.0 slots, 1x OCP 3.0 slot	1x PCIe 3.0 x16 75W or 4x M.2 22110
Product Guide	https://lenovopress.com/lp1540	https://lenovopress.com/lp1168

For more information on Edge solution visit
<https://www.lenovo.com/theedge>




Lenovo
ThinkEdge




STORAGE

Lenovo offers a wide range of enterprise grade storage solutions that address the ever-growing needs of businesses, fit into existing budget, and ensure data is ready when it is needed. The offering includes key data efficiency features like data compression and compaction along with thin provisioning and data encryption, all through a user-friendly interface. Protect your business: On-board encryption, multi-factor authentication and synchronous replication headline a host of leading data management features.

ThinkSystem DM SERIES

The ThinkSystem DM Series all-flash and hybrid-flash portfolio is cloud, virtualisation and AI ready. Optimise, accelerate, and consolidate your data with SAN and NAS unified in one system.




Sub-Series	DM Hybrid Systems		
Model	DM7100H 	DM5000H 	DM3000H 
Target Workloads	Hybrid Cloud, Artificial Intelligence, Big Data Analytics, Engineering and Design	Artificial Intelligence Data Analytics Enterprise Applications Engineering and Design	Virtualization Microsoft Solutions Backup & Recovery File Services
Max Drives per HA Pair (HDD/SSD)	720	144	144
Maximum Raw Capacity per HA Pair	11.2PB	1.9PB	2.3PB
Expansions Supported	DM240S, DM120S, DM600S		
Protocols Supported	FC, iSCSI, NFS, pNFS, CIFS/SMB, S3		
DM Series Hybrid Software	The DM Series software bundle includes a set of products that delivers leading data management, storage efficiency, data protection, high performance, and advanced capabilities such as instant cloning, data replication, application-aware backup and recovery, and data retention.		
Product Guide	https://lenovopress.com/lp1270	https://lenovopress.com/lp0885	https://lenovopress.com/lp0884

Sub-Series	DM All-Flash Systems		
Model	DM7100F 	DM5100F DM5100F SAN 	DM5000F DM5000F SAN 
Target Workloads	Wide range of enterprise workloads, including big data and analytics, artificial intelligence, engineering and design, hybrid clouds, and other storage I/O-intensive application	Wide range of enterprise workloads, including big data and analytics, artificial intelligence, engineering and design, enterprise applications, and other storage I/O-intensive applications	Wide range of enterprise workloads, including big data and analytics, artificial intelligence, engineering and design, enterprise applications, and other storage I/O-intensive applications
Max Drives per HA Pair (SSD)	480 (48 NVMe + 432 SAS)	48 NVMe	144
Maximum Raw Capacity per HA Pair	7.37PB	737.28TB	2.2PB
Expansions Supported	DM240S, DM240N	DM240N	DM240S
Protocols Supported	FC, iSCSI, NFS, pNFS, SMB, NVMe/ FC, S3	SAN Only: FC, iSCSI, NVMe/ FC Unified: FC, iSCSI, NFS, pNFS, SMB, NVMe/ FC, S3	SAN Only: FC, iSCSI Unified FC, iSCSI, NFS, pNFS, SMB, S3
DM Series Software	The DM Series software bundles include a set of products that delivers leading data management, storage efficiency, data protection, high performance, and advanced capabilities such as instant cloning, data replication, application-aware backup and recovery, and data retention.		
Product Guide	http://lenovopress.com/lp1271	http://lenovopress.com/lp1365	http://lenovopress.com/lp0911

ThinkSystem DE SERIES





All-flash and hybrid-flash arrays that deliver the perfect combination of performance and economics to handle your most important data needs.

Lenovo

Sub-Series	DE Hybrid Systems		
Model	DE6400H 	DE6600H 	DE6000H 
Target Workloads	Wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications	Wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications	Perfect fit for a wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications
Max Drives (HDD/SSD)	Supports up to a maximum of 264 drives (24 NVMe in Controller Enclosure + 240 NLSAS HDDs)	Supports up to a maximum of 444 drives (24 NVMe in Controller Enclosure + 420 NLSAS HDDs)	480/120
Maximum Raw Capacity	4.68PB	7.92PB	8.4PB
Expansions Supported	Up to 4 DE240S, DE120S, DE600S	Up to 4 DE240S, DE120S, DE600S	Up to 7 DE240S, DE120S Up to 3 DE600S
Protocols Supported	FC, iSCSI, iSER/IB, NVMe/FC, NVMe/IB, NVMe/RoCE, and SRP/IB	FC, iSCSI, iSER/IB, NVMe/FC, NVMe/IB, NVMe/RoCE, and SRP/IB	FC, iSCSI, SAS
DE Series Optional Software	Snapshots, Drive encryption	Snapshots, Drive encryption	Drive Encryption, Snapshots upgrade, asynchronous mirroring, synchronous mirroring (DE6000H and DE4000H only)
Product Guide	http://lenovopress.com/lp1642	http://lenovopress.com/lp1643	https://www.lenovopress.com/lp0883

Lenovo
ThinkSystem

Sub-Series	DE Hybrid Systems	
Model	DE4000H 	DE2000H 
Target Workloads	Perfect fit for a wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications	Perfect fit for small offices and remote/branch offices of large enterprises that run a wide range of workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive application
Max Drives (HDD/SSD)	192/120	96/96
Maximum Raw Capacity	3.38PB	1.47PB
Expansions Supported	Up to 7 DE120S Up to 3 DE600S, DE240S	Up to 3 DE240S, DE120S
Protocols Supported	FC, iSCSI, SAS	
DE Series Optional Software	Drive Encryption, Snapshots upgrade, asynchronous mirroring, synchronous mirroring (DE6000H and DE4000H only)	
Product Guide	https://www.lenovopress.com/lp0882	https://www.lenovopress.com/lp0881






Sub-Series	DE All-Flash Systems			
Model	DE6400F 	DE6600F 	DE6000F 	DE4000F 
Target Workloads	Wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications	Wide range of enterprise workloads, including big data and analytics, video surveillance, technical computing, backup and recovery, and other storage I/O-intensive applications	Perfect fit for a wide range of enterprise workloads, including big data and analytics, technical computing, and other storage I/O-intensive applications	Perfect fit for a wide range of enterprise workloads, including big data and analytics, technical computing, and other storage I/O-intensive applications
Max Drives (HDD/SSD)	120 (24 NVMe + 96 SAS SSD)	120 (24 NVMe + 96 SAS SSD)	120	96
Maximum Raw Capacity	1841.5TB	1841.5TB	1.84PB	1.44PB
Expansions Supported	Up to 4 DE240S	Up to 4 DE240S	Up to 4 DE240S	Up to 3 DE240S
Protocols Supported	FC, iSCSI, iSER/IB, NVMe/FC, NVMe/IB, NVMe/RoCE, and SRP/IB	FC, iSCSI, iSER/IB, NVMe/FC, NVMe/IB, NVMe/RoCE, and SRP/IB	FC, iSCSI, SAS	
DE Series Optional Software	Snapshots, Drive encryption	Snapshots, Drive encryption	Snapshots, Asynchronous mirroring, Synchronous mirroring, Drive Encryption	
Product Guide	http://lenovopress.com/lp1642	http://lenovopress.com/lp1643	https://www.lenovopress.com/lp0910	http://www.lenovopress.com/lp0909

LENOVO FIBRE CHANNEL SWITCHES

Lenovo

Combining servers and storage with Fibre Channel SAN switches provides customers a complete, innovative and affordable end-to-end storage solution to address dynamic business needs.

Management without complexity. Simply manage your network through integrated dashboards and easy-to-use GUI.

Model	ThinkSystem DB730S 	ThinkSystem DB720S 	ThinkSystem DB630S 
Target Workloads	Perfect for the most demanding of Flash and NVMe Storage workloads in midsize to large enterprise environments	Perfect for Flash and NVMe Storage workloads in midsize enterprise environments	Perfect for the most demanding of Flash and NVMe Storage workloads in midsize to large enterprise environments
Ports	96x 64G SFP+ ports, plus 16x 2x64G SFP-DD ports	64x 64Gb SFP+ ports	96x 32Gb SFP+ ports 8x 128Gb QSFP+ ports
Power Supply	Redundant Hot-Swap power supplies with integral cooling fans and status LEDs	Redundant Hot Swap power supplies	Redundant Hot Swap power supplies
Product Guide	https://lenovopress.com/lp1563	https://lenovopress.com/lp1358	https://lenovopress.com/lp1090
Model	ThinkSystem DB620S 	ThinkSystem DB610S 	
Target Workloads	Perfect for highly virtualized environments to meet the demands of hyper-scale, private cloud storage, and growing flash-based storage environments	Perfect for Flash and NVMe Storage workloads in small to midsize enterprise environments	
Ports	48x 32Gb SFP+ ports 4x 128Gb QSFP+ ports	24x 32Gb SFP+ ports	
Power Supply	Redundant Hot Swap power supplies	One fixed power supply	
Product Guide	https://lenovopress.com/lp0580	https://lenovopress.com/lp0582	

Lenovo
ThinkSystem

DIRECT ATTACH STORAGE (JBOD)

Capacity expansion for servers or Software Defined Storage

The Lenovo DAS portfolio provides traditional, as well as high density, storage for high-capacity applications, such as digital media, big data, HPC and video surveillance, at an affordable price. At near limitless scalability with disruptive levels of performance, the DAS portfolio easily satisfies your ever-growing storage needs.

Components	Lenovo D12XX Series D1212/ D122	Lenovo High-Density D3284	Lenovo High-Density D4390
Target Workload	Big Data, Business Analytics, Video Surveillance, Media Streaming, Private Clouds, File and Print Serving, E-mail and Collaboration, Databases, SAP HANA, Software-defined Storage, Windows Storage Spaces	Big Data, Business Analytics, Video Surveillance, Private and Hybrid Clouds, File and Print Serving, Backup and Archiving, Software-defined Storage, Windows Storage Spaces	HPC simulations, object storage, Tier 3 cloud data providers, video streaming, global file sharing, big data and analytics, video surveillance, private and hybrid clouds, and backup and archiving.
Form Factor	2U	5U	4U
Drive Bays	D1212: 12 LFF hot-swap drive bays; up to 8x D1212 enclosures can be daisy chained on a supported RAID adapter or HBA for a total of up to 96 LFF drives. D1224: 24 SFF hot-swap drive bays; up to 8x D1224 enclosures can be daisy chained on a supported RAID adapter or HBA for a total of up to 192 SFF drives. Intermix of SFF and LFF enclosures is supported.	84 LFF hot-swap drive bays in two drawers. Each drawer has three drive rows, and each row has 14 drives. Up to 4x D3284 enclosures can be daisy chained on a supported adapter for a total of up to 336 LFF drives.	90x hot-swap SAS HDD/SSD drives (12 SAS SSD drives supported per enclosure): • Up to 18TB 7,200rpm NL-SAS HDDs • Up to 800GB SSDs (2.5" drive in 3.5" tray)
Storage Capacity	D1212: Up to 1.92 PB (96x 20 TB LFF NL SAS HDDs) D1224: Up to 1.47 PB (192x 7.68 TB SFF SAS SSDs)	Up to 6.7PB (336x 20TB DDIC SAS HDDs)	Up to 1.6PB - 7,200rpm NL SAS HDDs Up to 9.6TB - SAS SSDs
Product Guide	https://lenovopress.com/lp0512	https://lenovopress.com/lp0513	https://lenovopress.com/lp1681



TAPE ARCHIVE SOLUTIONS

Cost-effective long-term retention or infrequent access

IBM Tape Series stores digital information on tape. Tape is the perfect choice for storing long term data, such as system back-up, disaster recovery or archive. Using less energy and space, infinitely scalable and media life of up to 30 years all speak in favour of the IBM TS Series portfolio.

Lenovo

Features	IBM TS22XX Tape Drives	TS2900 Tape Autoloader
Target Workload	Backup and archive	
Available Models	<ul style="list-style-type: none"> • LTO Ultrium 9 • LTO Ultrium 8 • LTO Ultrium 7 	<ul style="list-style-type: none"> • LTO Ultrium 9 • LTO Ultrium 8 • LTO Ultrium 7
Number of drives	1	1
Number of cartridge slots	1	9
Cartridge Capacity	LTO 9: 18 TB native; up to 45 TB compressed (with 2.5:1 compression ratio) LTO 8: 12 TB native; up to 30 TB compressed (with 2.5:1 compression ratio) LTO 7: 6 TB native; up to 15 TB compressed (with 2.5:1 compression ratio)	
Total Backup capacity	Dependent on cartridge as above	LTO 9: Up to 162 TB / up to 405 TB* LTO 8: Up to 108 TB / up to 270 TB* LTO 7: Up to 54 TB / up to 135 TB*
Data transfer rate	LTO 9: Up to 300 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression) LTO 8: Up to 360 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression) LTO 7: Up to 300 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression)	
Product Guide	https://lenovopress.com/tips1305	https://lenovopress.com/tips1303
Features	IBM TS4300 Tape Library	
Target Workload	Enterprise tape automation and reliability with open system affordability. It is a high-density, highly scalable, easy-to-manage solution designed to keep data securely stored long-term, while helping reduce the costs associated with data center space and utilities.	
Available Models	TS4300 Tape Library Base Model 6741A1F TS4300 Tape Library Expansion Model 6741A3F	
Form Factor	Base module: 3U rack-mount or stand-alone. Expansion module: 3U rack-mount; up to 6 expansion modules. 7-module library: 21U rack-mount.	
Number of drives	Per module: Up to 1x full-high and 1x half-high tape drives, or up to 3x half-high tape drives. Per 7-module library: From up to 7x full-high and 7x half-high tape drives to up to 21x half-high tape drives.	
Number of cartridge slots	Per module: 40. Per 7-module library: 280.	
Cartridge Capacity	LTO 8: 12 TB native; up to 30 TB compressed (with 2.5:1 compression ratio) LTO 7: 6 TB native; up to 15 TB compressed (with 2.5:1 compression ratio)	
Total Backup Capacity	Per module: LTO 9 (L9): Up to 680 TB LTO 8: Up to 480 TB LTO 7: Up to 240 TB Per 7-module library: LTO 9 (L9): Up to 5.00 PB LTO 8: Up to 3.36 PB LTO 7: Up to 1.68 PB	
Native Data Transfer Rate	LTO 9 FH: Up to 400 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression) LTO 8: Up to 360 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression) LTO 7: Up to 300 MB/s native; up to 750 MB/s compressed (with 2.5:1 compression)	
Product Guide	https://lenovopress.com/lp0773	

* With 2.5:1 compression ratio

OEM SOLUTIONS

Get on-demand OEM that lives up to your product standards. You'll have award-winning global support, innovative technology, and flexible programs that deliver at low cost.

ON DEMAND SOLUTION OFFERINGS

Lenovo has partnered with several ISVs to offer you the following solutions through our unique ON DEMAND program. We offer complete solutions for security and video surveillance, hyperconverged infrastructure (HCI), data protection and backup/recovery, and a solution to deploy and manage containerized applications across on-premises and hybrid cloud infrastructures. Review our available solutions below.

TEAM UP WITH AN INDUSTRY-LEADING GLOBAL PARTNER FOR YOUR OEM SOLUTION

When you have products based on standard IT technologies, you can often benefit from partnering with a leader in the industry to increase value and solve your go to market concerns.

Let our innovation work for you!

Bring your solutions to market rapidly and efficiently with complementary services, resources, and capabilities working with trust-worthy Lenovo representatives. We offer leveraged and effective dedicated OEM resources which can manage your product from concept to launch to lifecycle, all with financial solutions which align to your business model.

Lenovo is an established global supplier of IT compute platforms and solutions. With the most reliable x86 servers in the industry, along with the best-selling brand of laptops in history, Lenovo is truly world-class. We've shipped more than 20M servers to 160+ markets and work with over 2,000 suppliers.

Lenovo OEM Solutions works across verticals with many of the world's largest brands around the globe assisting in their go to market for their products and solutions built on a solid foundation of Lenovo technology, services, support, and global presence – our core expertise.

OEM Solutions' unique capabilities delivers the likes of custom or unbranded offerings, such as hardware, firmware, software, packaging, and literature. Our world-class support can be customized to meet and exceed your customer experience model, ensuring satisfied users of your products. With proof-of-concept assistance, revolving develop units programs, and full product technical modifications and feature alterations, Lenovo has your back as you develop your next product launch.

You can depend on Lenovo as your trusted OEM partner.

INDUSTRY LEADING SOLUTIONS BUILT ON LENOVO HARDWARE AND SERVICES

GeoComputing Group's RiVA virtual workstation private cloud racks replace high performance workstations used by Geoscientists in the Oil & Gas industry.

The platform handles storing, processing, securing, and visualizing the massive workflows geoscientists work on daily.

It allows users to work at accelerated rates from local or remote locations on any device they like.

RiVA outperforms existing high end workstation solutions by running either Windows or Linux applications on leading-edge high-end data center hardware with greater performance, flexibility, and reliability.

Users also experience exponential improvements in datacenter-grade uptime and both physical and logical security of geoscience IP.

RiVA also scales with ease, can typically be repaired without downtime or lost data, and eases the budgeting process for petro-technical workflow technologies.

For more information on Edge solution visit
<https://www.lenovo.com/us/en/data-center/solutions/edge-computing/>

SCALE COMPUTING: HC3 APPLIANCES

The HC3 Hyperconverged Infrastructure solution from Scale Computing and Lenovo enables small and medium businesses to obtain enterprise reliability and performance for their applications at a very attractive price point.

Scale HC3 provides integrated storage, servers, backup/DR and virtualization software in an all-in-one appliance-based system that is scalable, self-healing, as easy-to-manage as a single server, and can be deployed in about an hour.

Primary use cases include traditional virtualization infrastructure refreshes, VDI, Hybrid cloud, Digital Transformation Initiatives (e.g. IoT), and Distributed Enterprises/ROBO.

QUANTUM: VS-HCI APPLIANCES

Lenovo and Pivot3's Surveillance Series enables organizations to consolidate video storage, management, analytics, access control and other security applications onto a single, all-in-one IT infrastructure that delivers the performance, resiliency and scalability required by mission critical surveillance, security, analytics, and IoT environments.

This hyperconverged infrastructure (HCI) approach combines server and storage resources into modular, scalable appliances.

The Surveillance Series includes solutions for:

- Demanding video surveillance and security workloads
- Virtual Security Operations Center (VSOC) solutions that consolidate all video and security workstations and applications onto one centralized platform, virtualized for full mobile and remote access
- Analytics for extracting intelligence from video

For more information on Edge solution visit

<https://www.lenovo.com/us/en/data-center/solutions/edge-computing/>

DIAMANTI: SR630 APPLIANCE

Containers are the latest evolution of application technology, allowing you to develop cloud-native applications using microservices. But containers must be managed and deployed or migrated to where it is most convenient and in accordance with regulatory compliance, whether that may be on-premises, or in public, private, or hybrid clouds.

Diamanti SR630 is a complete, certified, turn-key, full stack hardware/acceleration/software Kubernetes appliance integrating high-performance compute, plug-and-play networking, and persistent storage. This solution can reduce your data center footprint requirements, complexity, and overall TCO.

For more information on Edge solution visit
<https://www.lenovo.com/us/en/data-center/solutions/edge-computing/>

SOFTWARE-DEFINED INFRASTRUCTURE

Lenovo

From the simplest hyperconverged building blocks of a software-defined data center to more complex cloud solution, Lenovo offers a variety of approaches tailored for any of your need. The Lenovo ThinkAgile family of products are engineered to simplify the user experience, software-defined infrastructure is designed to adapt to changing IT needs while reducing complexity and cost created by silos in traditional IT. Pre-integrated, pre-built and pre-tested offerings accelerate application deployment and add robust capabilities to your data center faster. All ThinkAgile solutions can be easily managed through a full integration of Lenovo XClarity into the original software vendor management software for the easiest and seamless operational daily tasks.

On top, ThinkAgile Advantage provides a first-class, white glove experience with end to end data center services to make the most of your Lenovo hyperconverged ThinkAgile products and solutions.

You'll have a remote single point of contact providing direct access to Level 2 technicians skilled in hardware, software, and advanced troubleshooting to help maintain smooth data center operations 24x7.

It also includes hardware and software deployment by skilled Lenovo professionals, onsite hardware repair and is included with ThinkAgile Advantage Support, 3 to 5 years.

Lenovo
ThinkAgile

ThinkAgile SX FOR MICROSOFT AZURE STACK

Lenovo ThinkAgile SX for Microsoft Azure Stack Hub delivers a pre-integrated, easy-to-deploy rack-level solution for hybrid cloud to dramatically reduce time-to-value and total cost of ownership (TCO). The solution is based on Lenovo's industry-leading data center infrastructure and Microsoft Azure Stack Hub, an extension of Microsoft Azure Services to on-premises environments.

Suggested workloads for the ThinkAgile SX for Microsoft Azure Stack Hub include virtual desktop infrastructure (VDI), back-office applications, server consolidation, enterprise applications, databases, test and development environments, and cloud implementation. Starting with as few as four nodes to keep your acquisition costs down, the solution offers "pay as you grow" scalability as your needs grow.

The ThinkAgile SXM for Microsoft Azure Stack Hub ships fully integrated into a rack cabinet (optionally deployed in a customer provided cabinet), tested, configured, and ready to be plugged in and turned on and it is designed to integrate into an existing infrastructure effortlessly, to accelerate time to value and reduce infrastructure maintenance costs while extending Microsoft Azure technologies on-premises.

Lenovo

HYPERCONVERGED INFRASTRUCTURE

Lenovo's hyperconverged solutions leverage virtualisation and software-defined storage to natively collapse core storage, compute, and networking functions into a single pool of resources that are deployed as a scale-out cluster.

Lenovo Models	ThinkAgile SXM4400	ThinkAgile SXM4400	ThinkAgile SXM6400
Form Factor and Nodes	25U, 4 to 8 nodes	42U or customer provided rack, 4 to 16 nodes	42U, 16 nodes
Components	1x ThinkSystem SR630 management node Up to 16x ThinkSystem SR650 hyperconverged nodes, Hybrid or All Flash 2x Mellanox SN2410 25GbE network switches		
Software	Microsoft Windows Server 2019 with Hyper-V, Microsoft Storage Spaces Direct, Microsoft Azure Stack Hub, Lenovo XClarity Administrator Pro.		
Target workloads	Virtualized workloads DevOps - Dev/Test/QA SQL as a service Enterprise backup IOT BigData/Analytics Containers		
Product Guide	https://lenovopress.com/lp1177		

ThinkAgile MX SERIES

Azure Stack HCI is an HCI host operating system from Microsoft, delivered as an Azure service, providing the latest and up-to-date security, performance and feature updates. Azure Stack HCI builds on the foundation of the Microsoft Windows Server Software Defined program and provides a certification path for Storage Spaces Direct solutions. Lenovo ThinkAgile MX Series, Appliances and Certified Nodes, refreshed with the latest Intel technology, combine the Storage Spaces Direct technology included in this new host OS, with industry leading Lenovo servers to deliver HCI building blocks that build your infrastructure solutions.

Lenovo ThinkAgile MX appliances map to Microsoft Azure Stack HCI Integrated Systems and ThinkAgile MX Certified Nodes map to Microsoft Azure Stack HCI Validated Nodes.

ThinkAgile MX Series are built with certified hardware components, are easily orderable as appliances, and include deployment/update features built into Windows Admin Center. Benefits like these allow businesses to deploy solutions quickly and easily.

ThinkAgile MX Appliance models includes the preloaded Azure Stack HCI operating system only and requires activation via a CSP such as Lenovo Cloud Marketplace, with the option to purchase a Windows Server 2019 Datacenter license if unlimited guest OS VMs are desired, while ThinkAgile MX Certified Node can optionally have Windows Server 2019 Datacenter preinstalled.

ThinkAgile MX Series also features the MX102x model for Edge workloads and includes:

- Fully validated and integrated hardware and firmware.
- ThinkAgile Advantage and Single Point of Support.
- Enterprise Support Services.
- Optional deployment services.

Lenovo Models (Intel Xeon Scalable 2nd gen platform)	ThinkAgile MX352x-F and MX352x-H (x=0 for Appliance, X=1 for Certified Node, F=All Flash, H= Hybrid)	ThinkAgile MX102x (x=0 for Appliance, X=1 for Certified Node)
Target Workload	LOB apps, large file services, SQL, VDI, collaboration	ROBO and Edge
Form Factor	2U	1U half-wide
Processor	2x Intel Xeon Scalable Gen 2 family processors	1x Intel Xeon D2100 Series
GPU	NVIDIA A2, A10, A30, A100, T4, RTX 6000, RTX 8000 (up to 5x)	NVIDIA T4 (max 1)
Software (included with Appliances, optional with Certified Nodes)	Appliances include the preloaded Azure Stack HCI operating system only and requires activation via a CSP. Windows Server 2019 Datacenter license is optional if unlimited guest OS VMs are desired. Certified Nodes can optionally have Windows Server 2019 Datacenter preinstalled.	
Product Guide	MX352x-F: https://lenovopress.com/lp1175 MX352x-H: https://lenovopress.com/lp1175	MX102x: https://lenovopress.com/lp1296

LENOVO MODELS (Intel Xeon Scalable 3rd gen platform)	ThinkAgile MX333x-F and MX333x-H (x=0 for Appliance, X=1 for Certified Node, F=All Flash, H= Hybrid)	ThinkAgile MX353x-F and MX350x-H (x=0 for Appliance, X=1 for Certified Node, F=All Flash, H= Hybrid)
Target Workload	LOB apps, large file services, SQL, VDI, collaboration	
Form Factor	1U	2U
Processor	2x Intel Xeon Scalable Gen 3 family processors	
GPU	Nvidia T4, A2 (up to 3x)	NVIDIA A2, A10, A30, A40, A100, T4, Quadro RTX6000, (up to 8x)
Software (included with Appliances, optional with Certified Nodes)	Appliances include the preloaded Azure Stack HCI operating system only and requires activation via a CSP. Windows Server 2019 Datacenter license is optional if unlimited guest OS VMs are desired. Certified Nodes can optionally have Windows Server 2019 Datacenter preinstalled.	
Product Guide	https://lenovopress.com/lp1511	https://lenovopress.com/lp1512

ThinkAgile HX SERIES

Lenovo ThinkAgile HX Series, a best-in-class hyperconverged system with Nutanix's industry leading software preloaded on both Intel-based and AMD-based Lenovo platforms, dramatically simplifies data center management, freeing up IT staff and accelerating solution deployment.

This hyperconverged solution fully integrates Lenovo servers with core Nutanix software to provide:

- Application mobility.
- Distributed storage fabric and a hypervisor (all part of Nutanix Acropolis).
- System management software (Nutanix Prism to manage the cluster and virtual machines and Lenovo XClarity to manage the hardware resources).

ThinkAgile HX series has been designed, engineered, tailored and validated for a wide range of business solutions, so that you have the freedom to run any workload, at any scale, all the time, consolidating compute, storage and virtualization software into a resource pool, easily managed in scale-out clusters through a single interface.

The HX series ships from Lenovo as fully integrated system (Appliances) and as validated building blocks (Certified Nodes), now also configurable with the latest Intel and AMD technology, and delivers extreme reliability, security, scalability and simplified management. As a result, you can deploy applications faster, without the hassle, while dramatically reducing total cost of ownership.

Lenovo also offers businesses with SAP deployments an opportunity to reap the efficiencies and cost savings of hyperconverged clusters. By migrating HANA workloads from complex, three-tiered legacy architectures to hyperconverged clusters, customers can enjoy all the benefits of hyperconverged infrastructure. Customers with hyperconverged architectures who require real-time analytics to guide their business decisions also have the option to leverage their existing IT to deploy SAP HANA.

THINKAGILE HX1000 SERIES (INTEL)	HX1021 (Certified Node only)	HX132x (x=0 for Appliance, X=1 for Certified Node)	ThinkAgile HX133x (x=0 for Appliance, X=1 for Certified Node)
Target Workload	Edge	Remote Office/Branch Office (ROBO) Replication Target	Remote Office/Branch Office (ROBO) Replication Target
Form Factor	1U half-width	1U	1U
Processor	1x Intel Xeon D2100 Series	1x Xeon Scalable Gen 2 family processors	1x Xeon Scalable Gen 3 family processors
GPU adapters	1x NVIDIA T4,A2	No support	1x NVIDIA T4, A2
Drive Bays	Up to 3x M.2 adapters for up to 10x M.2 drives	4x 3.5"	4x 3.5" (front) + 2x 2.5" (rear)
Software (included with Appliances, optional with Certified Nodes)	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.		
Product Guide	HX1021: https://lenovopress.com/lp1384	HX1320: https://lenovopress.com/lp1521 HX1321: https://lenovopress.com/lp1521	HX133x: https://lenovopress.com/lp1481
THINKAGILE HX2000 SERIES (INTEL)	HX2320 (x=0 for Appliance, X=1 for Certified Node)		ThinkAgile HX233x (x=0 for Appliance, X=1 for Certified Node)
Target Workload	Small and Medium Business		
Form Factor	1U		1U
Processor	2x Xeon Scalable Gen 2 family processors		2x Xeon Scalable Gen 3 family processors
GPU adapters			2x NVIDIA T4, A2
Drive Bays	4x 3.5"		4x 3.5" (front) + 2x 2.5" (rear)
Software (included with Appliances, optional with Certified Nodes)	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.		
Product Guide	HX2320: https://lenovopress.com/lp1521 HX2321: https://lenovopress.com/lp1521		HX233x: https://lenovopress.com/lp1481

THINKAGILE HX3000 SERIES (INTEL)	HX332x (+ SAP HANA) (x=0 for Appliance, X=1 for Certified Node)	HX352x-G (x=0 for Appliance, X=1 for Certified Node)	HX372x (x=0 for Appliance, X=1 for Certified Node)	ThinkAgile HX333x (x=0 for Appliance, X=1 for Certified Node)
Target Workload	General Virtualization and VDI	Compute Heavy with GPU	Dense	General Virtualization and VDI
Form Factor	1U	2U	2U 4N	1U
Processors	2x Xeon Scalable Gen 2 family processors (per Node)			2x Xeon Scalable Gen 3 family processors
GPU adapters		NVIDIA A2, A16, A30, A100, M10, T4 (up to 5x)		2x NVIDIA T4, A2
Drive Bays	up to 12x 2.5"	Up to 16x 2.5"	Up to 6x 2.5" per Node	10x 2.5" (front) + 2x 2.5" (rear) SAS, SATA NVMe
Software (included with Appliances, optional with Certified Nodes)	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.			
Product Guide	HX3320: https://lenovopress.com/lp1521 HX3320 SAP HANA: https://lenovopress.com/lp1216 HX3321: https://lenovopress.com/lp1521 HX3321 SAP HANA: https://lenovopress.com/lp1217	HX3520-G: https://lenovopress.com/lp1522 HX3521-G: https://lenovopress.com/lp1522	HX3720: https://lenovopress.com/lp1123 HX3721: https://lenovopress.com/lp1131	HX333x: https://lenovopress.com/lp1481

THINKAGILE HX3000 SERIES (AMD)	HX337x (x=5 for Appliance, X=6 for Certified Node)
Target Workload	General Virtualization and VDI, Compute Heavy with GPU
Form Factor	1U
Processor	2x AMD EPYC 7002 family processors
GPU adapters	Up to 2x NVIDIA T4, A2
Drive Bays	up to 12x 2.5"
Software (included with Appliances, optional with Certified Nodes)	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.
Product Guide	HX337x: https://lenovopress.com/lp1383

THINKAGILE HX5000 SERIES (INTEL)	HX552x (x=0 for Appliance, X=1 for Certified Node)		ThinkAgile HX553x (x=0 for Appliance, X=1 for Certified Node)	
Target Workloads	Big Data and High Capacity			
Form Factor	2U		2U	
Processor	2x Xeon Scalable Gen 2 family processors		2x Xeon Scalable Gen 3 family processors	
Drive Bays	Up to 14x 3.5"		12x 3.5" (front) + 4x 2.5" (rear)	
Software (included with Appliances, optional with Certified Nodes)	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.			
Product Guide	HX5520: https://lenovopress.com/lp1522 HX5521: https://lenovopress.com/lp1521		HX553x: https://lenovopress.com/lp1482	

THINKAGILE HX7000 SERIES (INTEL)	HX752x (+ SAP HANA) (x=0 for Appliance, X=1 for Certified Node)		ThinkAgile HX753x (+ SAP HANA) (x=0 for Appliance, X=1 for Certified Node)		HX782x (+SAP HANA) (x=0 for Appliance, X=1 for Certified Node)	
Target Workloads	Databases and High Performance					
Form Factor	2U		2U		4U	
Processor	2x Xeon Scalable Gen 2 family processors		2x Xeon Scalable Gen 3 family processor		4x Xeon Scalable Gen 2 family processors	
Drive Bays	Up to 24x 2.5"					
Drive Bays	Nutanix Acropolis: Starter, Pro, and Ultimate editions. Nutanix Prism, Nutanix Calm (optional), Nutanix Flow (optional). Any other Nutanix licence can purchased through Lenovo and added to the configuration.					
Product Guide	HX7520: https://lenovopress.com/lp1522 HX7520 SAP HANA: https://lenovopress.com/lp1218 HX7521: https://lenovopress.com/lp1522 HX7521 SAP HANA: https://lenovopress.com/lp1219		HX753x (incl SAP HANA): https://lenovopress.com/lp1482		HX7820: https://lenovopress.com/lp1126 HX7820 SAP HANA: https://lenovopress.com/lp0992 HX7821: https://lenovopress.com/lp1134 HX7821 SAP HANA: https://lenovopress.com/lp0993	

THINKAGILE HX645 V3 (AMD)	ThinkAgile HX645 V3 Integrated System (*) ThinkAgile HX645 V3 Certified Node
Target Workload	General virtualization and VDI
Form Factor	1U
Processor	4th Gen AMD EPYC
GPU adapters	Up to 2 single width GPU support
Drive Bays	6x2.5" SATA/SAS + 4x 2.5" AnyBay 2x2.5" SATA/SAS Rear Bay (optional)
Product Guide	https://lenovopress.lenovo.com/lp1650
THINKAGILE HX665 V3 (AMD)	ThinkAgile HX665 V3 Integrated System ThinkAgile HX665 V3 Storage Dense Integrated System ThinkAgile HX665 V3 Certified Node ThinkAgile HX665 V3 Storage Dense Certified Node
Target Workload	Compute-heavy workloads
Form Factor	2U
Processor	4th Gen AMD EPYC
GPU adapters	4 double width/ 7 single width GPU support
Drive Bays	12x3.5" SATA/SAS 4x2.5" SATA/SAS Rear Bay (optional)
Product Guide	https://lenovopress.lenovo.com/lp1649

* Integrated System is a new naming replacing Appliance

ThinkAgile VX SERIES

Lenovo ThinkAgile VX Series enables you to meet requirements as being competitive in a fast-moving business environment, cost effectiveness and solution simplicity and scalability by focusing on the business outcome you require, rather than on building your infrastructure.

ThinkAgile VX Series, powered by VMware vSAN, designed on both Intel-based and AMD-based Lenovo platforms, is available in several models, Appliances and Certified Nodes, both pre-tested, pre-validated and optimized to provide the simplest way to bring a new VMware hyperconverged environment online, also granting an easy integration into an existing VMware environment.

As any Lenovo ThinkAgile solution, VX Series is delivered with the hardware configured, software installed, and the option of having Lenovo professional services to integrate it into your environment, making this solution easy to deploy, providing faster time-to-value, and reducing costs and it's now also configurable with the latest Intel and AMD technology.

VX Series includes powerful lifecycle management capabilities via vSphere Lifecycle Manager (vLCM) to speed deployment up, simplifying patching and updating software, with task automation.

ThinkAgile VX Series comes in a wide range of platforms and provides the flexibility to configure the system you need to meet any use-case, and supporting both All-Flash and Hybrid configurations.

THINKAGILE VX 2000 SERIES (INTEL)	ThinkAgile VX2320	ThinkAgile VX 1U Certified Node
Target Workload	Small and Medium sized businesses	
Form Factor	1U	1U
Processor	Up to 2x Xeon Scalable Gen 2 family processors	Up to 2x Xeon Scalable Gen 3 family processors
Drive Bays	4x 3.5"	4x 3.5" SAS/SATA/NVMe
Software (included with Appliances, optional with Certified Nodes)	<p>Software licenses that must be purchased from Lenovo:</p> <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. <p>Software licenses that can be purchased from Lenovo or provided by the customer:</p> <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 	
Product Guide	VX2320: https://lenovopress.com/lp1501 VX 1U Certified Node: https://lenovopress.com/lp1501	VX2330: https://lenovopress.com/lp1479

THINKAGILE VX3000 SERIES (INTEL)	ThinkAgile VX3320 ThinkAgile VX 1U Certified Node	ThinkAgile VX3330	ThinkAgile VX3520-G ThinkAgile VX 2U Certified Node	ThinkAgile VX3530	ThinkAgile VX372x (x=0 for Appliance, X=1 for Certified Node)
Target Workloads	Compute-Heavy		VDI Graphic Intense		Dense
Form Factor	1U	1U	2U	2U	2U 4N
GPU Adapters			NVIDIA Tesla A2, A10, A16, A30, A100, RTX A6000, M10, P620, T4 (up to 5)	Up to 8x, up to 150W each	
Processor	2x Xeon Scalable Gen 2 family processors (per Node)	Up to 2x Xeon Scalable Gen 3 family processors	2x Xeon Scalable Gen 2 family processors	Up to 2x Xeon Scalable Gen 3 family processors	2x Xeon Scalable Gen 2 family processors (per Node)
Drive Bays	up to 10x 2.5"	12x 2.5" SAS/SATA or NVMe	Up to 16x 2.5"	24x 2.5"	Up to 6x 2.5" per Node
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 				
Product Guide	VX3320: https://lenovopress.com/lp1501 VX 1U Certified Node: https://lenovopress.com/lp1501	VX333x: https://lenovopress.com/lp1479	VX3520-G: https://lenovopress.com/lp1500 VX 2U Certified Node: https://lenovopress.com/lp1500	VX3530-G: https://lenovopress.com/lp1480	VX3720: https://lenovopress.com/lp1138 VX3721: https://lenovopress.com/lp1131

THINKAGILE VX3000 SERIES (AMD)	ThinkAgile VX3575-G Integrated Appliance (*) ThinkAgile VX7576 Certified Node (**)				
Target Workloads	VDI Graphic Intensive				
Form Factors	2U				
GPU Adapters	NVIDIA A100, A40, A16, P620, T4 (up to 8x)				
Processor	2x AMD EPYC 7003 Series Processors				
Drive Bays	Up to 24x 2.5"				
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 				
Product Guide	VX3575-G: https://lenovopress.com/lp1473 (this product guide is valid for whole VX AMD series, and for both Integrated Systems and Certified Nodes)				

(*) : Integrated System is a new naming replacing Appliance

(**) : VX7576 is a common 2U Certified Node base platform that can be configured as VX3576-G, VX5576 or VX7576 Certified Node model

THINKAGILE VX5000 SERIES (INTEL)	ThinkAgile VX5520 ThinkAgile VX 2U Certified Node	ThinkAgile VX5530
Target Workloads	Storage Heavy workloads Big Data/Analytics Email Large Databases and other high-capacity storage needs	
Form Factor	2U	2U
Processor	2x Xeon Scalable Gen 2 family processors	Up to 2x Xeon Scalable Gen 3 family processors
Drive Bays	Up to 14x 3.5"	16x 3.5"
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 	
Product Guide	VX5520: https://lenovopress.com/lp1500 VX 2U Certified Nodes: https://lenovopress.com/lp1500	VX5530: https://lenovopress.com/lp1480

THINKAGILE VX5000 SERIES (AMD)	ThinkAgile VX5575 Integrated System (*) ThinkAgile VX7576 Certified Node (**)
Target Workloads	Storage Heavy workloads Big Data/Analytics Email Large Databases and other high-capacity storage needs
Form Factors	2U
Processor	1x or 2x AMD EPYC 7003 Series Processors
Drive Bays	Up to 16x 3.5"
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard.
Product Guide	VX5575: https://lenovopress.com/lp1473 (this product guide is valid for whole VX AMD series, and for both Integrated Systems and Certified Nodes)

(*) : Integrated System is a new naming replacing Appliance

(**) : VX7576 is a common 2U Certified Node base platform that can be configured as VX3576-G, VX5576 or VX7576 Certified Node model

THINKAGILE VX7000 2P SERIES (INTEL)	ThinkAgile VX7320-N VX 1U Certified Nodes	ThinkAgile VX7330-N	ThinkAgile VX7520 VX 2U Certified Nodes	ThinkAgile VX753x (x=0 for Appliance, X=1 for Certified Node)
Target Workloads	High-performance workloads Databases load balancing clusters.		In-Memory Databases High-performance storage	
Form Factor	1U	1U	2U	2U
Processor	2x Xeon Scalable Gen 2 family processors	2x Xeon Scalable Gen 3 family processors	2x Xeon Scalable Gen 2 family processors	2x Xeon Scalable Gen 3 family processors
Drive Bays	10x 2.5" U.2 NVMe	10x 2.5" NVMe	Up to 24x 2.5"	Up to 40x 2.5"
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 			
Product Guide	VX7320-N: https://lenovopress.com/lp1501 VX 1U Certified Nodes: https://lenovopress.com/lp1501	VX7330-N: https://lenovopress.com/lp1479	VX7520: https://lenovopress.com/lp1500 VX 2U Certified Nodes: https://lenovopress.com/lp1500	VX753x: https://lenovopress.com/lp1480
THINKAGILE VX7000 2P SERIES (AMD)	ThinkAgile VX757x (x=5 for Integrated System (*), X=6 for Certified Node)			
Target Workloads	High-performance workloads Databases			
Form Factor	2U			
Processor	Up to 2x AMD EPYC 7003 Series Processors			
Drive Bays	Up to 26x 2.5" or up to 16x 3.5" or up to 32x NVMe			
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 			
Product Guide	VX757x: https://lenovopress.com/lp1473 (this product guide is valid for whole VX AMD series, and for both Integrated Systems and Certified Nodes)			
THINKAGILE VX7000 4P/8P SERIES (INTEL)	ThinkAgile VX782x (x=0 for Appliance, X=1 for Certified Node) ThinkAgile VX7821 SAP HANA			
Target Workloads	Mission Critical High Performance			
Form Factor	4U			
Processor	Up to 8x Xeon Scalable Gen 2 family processors			
Drive Bays	Up to 24x 2.5"			
Software (included with Appliances, optional with Certified Nodes)	Software licenses that must be purchased from Lenovo: <ul style="list-style-type: none"> • VMware vSAN: Standard, Advanced, Enterprise, or ROBO; or • HCI Kit: Essentials, Standard, Advanced, Enterprise, or ROBO; or • VMware Horizon: Advanced or Enterprise; or • VMware Cloud Foundation (VCF): Basic, Standard, Advanced, Enterprise, or for VDI. Software licenses that can be purchased from Lenovo or provided by the customer: <ul style="list-style-type: none"> • VMware vSphere: Standard, Enterprise Plus, or ROBO. • VMware Horizon: Standard (optional). • VMware vCenter Server: Foundation or Standard. 			
Product Guide	VX7820: https://lenovopress.com/lp1490 VX7821 SAP HANA: https://lenovopress.com/lp1250			

THINKAGILE VX...V3 (AMD)	THINKAGILE VX645 V3 Integrated System (*) THINKAGILE VX645 V3 Certified Node	THINKAGILE VX665 V3 Integrated System (*) THINKAGILE VX665 V3 Certified Node
Target Workloads	SMB, Remote Office/Branch Office (ROBO), VDI, Data Analytics & Backup	High performance computing (HPC), Big Data & Analytics and I/O intensive operations
Form Factor	1U	2U
Processor	1x or 2x 4th Gen AMD EPYC™ 9004 Processors	1x or 2x 4th Gen AMD EPYC™ 9004 Processors
Drive Bays	12x 2.5" (HS) NVMe/SAS/SATA 4x 3.5" (HS) SAS/SATA	32*x 2.5" (HS) NVMe/SAS/SATA 20x 3.5" (HS) SAS/SATA
Product Guide	https://lenovopress.com/lp1648	https://lenovopress.com/lp1641

THINKAGILE VX...V3 (AMD)	THINKAGILE VX635 V3 Integrated System (*) THINKAGILE VX635 V3 Certified Node	THINKAGILE VX655 V3 Integrated System (*) THINKAGILE VX655 V3 Certified Node
Target Workloads	SMB, Remote Office/Branch Office (ROBO), VDI, Data Analytics & Backup	High performance computing (HPC), Big Data & Analytics and I/O intensive operations
Form Factor	1U	2U
Processor	1x 4th Gen AMD EPYC™ 9004 Processors	1x 4th Gen AMD EPYC™ 9004 Processors
Drive Bays	12x 2.5" (HS) NVMe/SAS/SATA	32*x 2.5" (HS) NVMe/SAS/SATA 20x 3.5" (HS) SAS/SATA
Product Guide	https://lenovopress.com/lp1689	https://lenovopress.com/lp1690

(*) : Integrated System is a new naming replacing Appliance

*Maximum up to 40x 2.5" (HS) SAS/SATA supported with expander via CORE request



ThinkAgile ADVANTAGE SUPPORT FOR APPLIANCES AND CERTIFIED NODES

ThinkAgile Advantage provides a first-class, white glove experience with end to end data center services to make the most of your ThinkAgile products and solutions. You'll have a remote single point of contact providing direct access to Level 2 technicians skilled in hardware, software, and advanced troubleshooting to help maintain smooth data center operations 24x7.

ThinkAgile solutions are deployed by Lenovo Professionals, eliminating the need for customer's internal resources. We have tailored deployment options for our ThinkAgile solutions that accelerate your time to value and reduce your risk of managing large implementation projects. You can also purchase onsite Hardware Installation Services to streamline the project.

After deploying a ThinkAgile solution, you'll get supported by a dedicated phone number answered by highly skilled Lenovo technicians who are focused on understanding and resolving any issue, or you can submit a request online: because you reach a technically qualified expert on the first call, we can diagnose issues faster, helping to resolve problems more accurately, in less time.

ThinkAgile Advantage support grants

- A single point of support for managing all calls to conclusion
- End-to-end case management for the entire solution
- A dedicated Lenovo phone number to answer your calls 24x7, live answered by technical experts
- Simplified warranty entitlement
- Hardware and Software Deployment
- Response times to meet business needs (Foundation, Essential, Advanced)

Check on [Lenovo.com](https://www.lenovo.com) to know more on Lenovo Services for Data Center.

SOFTWARE FOR YOUR INFRASTRUCTURE

Accelerate your success with Lenovo Software & Strategic Alliances

Pair your Lenovo servers, storage, and networking systems with software that creates the right solution for your workloads and your business. Providing the foundation upon which critical enterprise business applications are run. We partner with leading software providers to offer their infrastructure software with our extremely reliable, high-performance ThinkSystem and ThinkAgile servers. Infrastructure software helps businesses become more agile, secure, and service-oriented. Lenovo complements that software with reliable and high-performance hardware systems and services expertise to help you successfully integrate innovative IT infrastructure with your operations and improve your overall business.

Pillars for a modern data center:

- Operating system
- Virtualization
- Data Protection
- Management and Orchestration

LENOVO XCLARITY

Lenovo XClarity is a family of tools that help administrators to deploy, manage, optimise and secure their servers, storage, networking and solutions. It also goes further by allowing hardware management to seamlessly integrate into the wider IT environment.

Lenovo's modern open approach, reduces complexity, enhances availability and ensures secure control, for even the largest of environments.

XClarity Administrator

- Be up and running faster, with no installation needed. XClarity Administrator is a ready to go virtual appliance, supported on a range of hypervisors.
- Take control of your inventory with agentless, auto-discovery of endpoints so that managed hardware can be viewed-at-a-glance.
- Monitoring alerts and events are visible via the XClarity Administrator Dashboard, the status bar, and the alerts and events detail for the specific systems.
- Configuration management uses pattern-based configurations to quickly provision and re-provision a single or multiple end-points, with a single set of configuration settings.
- With Compliance Reports you can be sure your systems stay in the state you set them. Any changes to firmware or settings are tracked and reported on.
- Deployment of operating systems and hypervisors to bare metal servers. VMware ESXi, Windows Server, SUSE Linux Enterprise Server (SLES), Red Hat Linux, Alma Linux, Rocky Linux, and Ubuntu images can be imported and held in a repository for images. Up to 28 OS images can be deployed concurrently.

Lenovo XClarity can be integrated into external, higher level management, automation, and orchestration platforms through open REST application programming interfaces (APIs) with Lenovo XClarity Integrators.

Find out more [here](#)



Download the free
Lenovo XClarity
Administrator
[trial version](#)



XClarity Orchestrator and XClarity Orchestrator Analytics

Scale up to 10,000 end points and manage multiple Administrator instances across multiple sites. Use powerful AI driven analytic tools to keep your environment in top condition.

Find out more [here](#)

COMPUTING ORCHESTRATION AND CLOUD AUTOMATION

Lenovo Intelligent Computing Orchestration (LiCO)

The convergence of HPC and AI is allowing dramatic advancements, but it is also posing non-trivial challenges.

Increasing model sophistication leads to great breakthroughs allowing solving complex tasks, but how to make proper sizing for the resource needed to train those models? How to run multiple large experiments efficiently? How to parallelize multiple training or coordinate multiple teams? And finally, how to optimize the utilization of resources without compromising the freedom of the users to experiment.

Introducing LiCO : Lenovo Intelligent Computing Orchestration (LiCO) is a software developed in-house at Lenovo that provides a simple, easy-to-use Graphical User Interface (GUI) to make accessing customer compute resources very easy for A.I. development and training. LiCO interfaces with an open-source software orchestration stack, enabling the convergence of AI onto an HPC or Kubernetes-based cluster. LiCO solves some of the challenges of AI adoption in terms of simplification of AI development workflow, cluster resources management, monitoring and utilization and thus driving more productivity both for AI users and system administrators.

Find out more

<https://lenovopress.com/lp0858>

Lenovo Open Cloud Automation (LOC-A)

The cloud deployment process often involves manual processes that benefit from some level of automation tools. However, this process is sequential, time-consuming and error-prone. LOC-A provides an automation platform that orchestrates the entire chain of events/tools from hardware configuration to Operating Systems installation to Cloud and networking layer deployment.

LOC-A enables customers to accelerate time to value, simplify operations and be cost effective.

LOC-A has support for Kubernetes, Red Hat® OpenShift® and VMware Cloud Foundation™. It is comprised of a set of workload, services and runtime components that generate a toolkit to deliver end-to-end cloud solutions. LOC-A supports 3rd-party networking infrastructures, such as Cisco ACI.

Find out more

<https://lenovopress.com/ds0113>

WINDOWS SERVER 2022

Modernize with Windows Server 2022, the cloud-ready operating system that enables hybrid capabilities for optimal value from technology investments. Prepare for the future with options like Windows Server software-defined (WSSD) datacenter solutions for greater efficiency, Secured-core solutions for help with multilayer security, Windows Admin Center for easier management, virtualization for remote desktop and apps, and containerization for flexible, modern apps.

Offerings

Windows Server 2022

- Essentials Edition - for small businesses with up to 25 users or 50 devices
- Standard Edition - for customers with low density or minimally virtualized environments
- Datacenter Edition (also available with reassignment rights) - for highly virtualized and software defined data center environments

Lenovo also offers downgrade kits from Windows Server 2022 to Windows Server 2019 and 2016.

Microsoft no longer refreshes Windows Storage Server, but Lenovo will continue to offer Windows Storage Server 2016 until the end of 2023.

Find out more

<https://lenovopress.com/lp1079>



RED HAT® ENTERPRISE LINUX®

Open source operating system that is the foundation from which you can scale existing apps — and roll out emerging technologies — across bare-metal, virtual, container, and all types of cloud environments. Combining Red Hat Enterprise Linux with Lenovo servers gives you exceptional reliability and military-grade security, freeing you to deliver meaningful business results through technology.

Offerings

- RHEL Server provides a stable, secure, and performance-driven foundation for applications
- RHEL for Virtual Data Center allows for the deployment of unlimited guests in dense virtualized environments on supported hypervisors
- RHEL with Smart Virtualization helps organizations virtualize critical applications while delivering performance, scalability, and security.
- RHEL for HPC enables the creation, management, and usage of a high-performance computing (HPC) cluster.



Find out more

<https://lenovopress.com/lp1236>

SUSE® LINUX ENTERPRISE SERVER

A scalable, secure, and modular operating system, SUSE Linux Enterprise Server helps simplify multi-platform (traditional, software defined and cloud) environments, makes traditional IT infrastructure more efficient and provides an engaging platform for developers. As a result, you can easily deploy and transition business-critical workloads across on-premise and public cloud environments.

Offerings

- SLES x86 provides a stable, secure, and performance-driven foundation for applications on x86 servers
- SLES for HPC - provides a parallel computing platform for high performance data analytics workloads such as artificial intelligence and machine learning
- SLES for SAP - is optimized for SAP HANA, SAP NetWeaver and SAP S/4HANA environments



Find out more

<https://lenovopress.com/lp1264>

VIRTUALIZATION

Improve system utilization, reduce capital and operating costs, and minimize or eliminate downtime when running virtualization software on Lenovo servers. environments, makes traditional IT infrastructure more efficient and provides an engaging platform for developers. As a result, you can easily deploy and transition business-critical workloads across on-premise and public cloud environments.

VMware vSphere

Server virtualization software that allows you to consolidate your data center hardware and enable business continuity through server virtualization, reduce CapEx by increasing the use of existing hardware and simplify management of infrastructure at scale, ensure business continuity by reducing or eliminating downtime, and extend your on-premises environment to a vSphere-based public cloud for a seamless hybrid cloud experience.

Offerings

- Standard - Server consolidation and business recovery
- Enterprise Plus - Resource management, enhanced application availability and performance
- Essentials Kit - Server virtualization and consolidation
- Essentials Plus Kit - Server virtualization and consolidation plus business continuity
- Remote Office Branch Office (ROBO) Standard - Remote server virtualization with business continuity and backup features
- ROBO Advanced - Remote server virtualization with business continuity and backup and standardization of host configurations
- Acceleration Kit - Server consolidation and no planned downtime
- Desktop - client virtualization



Find out more

<https://lenovopress.com/lp1265>

DATA PROTECTION

Veeam® Availability Suite™

Provides the ability to manage virtual, physical, and cloud-based workloads from a single console. Includes a host of advanced features which provide portability, scalability and enterprise grade security & control of your most important asset - data.

Offerings

Enterprise Plus - everything in Enterprise plus full backup I/O control, full backup from storage snapshots, full built-in WAN acceleration, and plug-in for SAP HANA



Find out more

<https://en.resources.lenovo.com/solution-brief-documents>

SOLUTIONS

Accelerate cloud service delivery, extract insights from your data, and improve business outcomes with Lenovo Engineered Solutions. Developed to simplify configuration and deployment, Lenovo Engineered Solutions are designed, tested and certified to provide faster time-to-value and lower TCO. To meet your desired business outcomes, Lenovo partners with market leaders and technology leaders worked to develop high-performance, scalable offerings based on foundational ThinkSystem platforms and tested for enterprise applications matching your needs.



Cloud Solutions



Database Solutions



Big Data and Analytics



High Performance Computing



Business Applications



Client Virtualisation

To find out more about which engineered solution would suit you please visit <https://www.lenovo.com/us/en/servers-storage/solutions/>

LENOVO DSS-G

Lenovo Distributed Storage Solution for IBM Spectrum Scale (DSS-G) is a software-defined storage (SDS) solution for dense scalable file and object storage suitable for high-performance and data-intensive environments.

DSS-G combines the performance of the Lenovo ThinkSystem SR650 V2 servers, Lenovo D1224 and D3284 storage enclosures, and industry leading IBM Spectrum Scale software to offer a high performance, scalable building block approach to modern storage needs.

Lenovo DSS-G is delivered as a pre-integrated, easy-to-deploy rack level engineered solution that dramatically reduces time-to-value and total cost of ownership (TCO). All DSS-G base offerings described in this product guide are built on Lenovo ThinkSystem SR650 V2 servers, Lenovo Storage D1224 Drive Enclosures with high-performance 2.5-inch SAS solid-state drives, and Lenovo Storage D3284 High-Density Drive Enclosures with large capacity 3.5-inch NL SAS HDDs.

Combined with IBM Spectrum Scale (formerly IBM General Parallel File System, GPFS), an industry leader in high-performance clustered file system, you have an ideal solution for the ultimate file and object storage solution for HPC and Big Data.

Project	DSS-G for IBM Spectrum Scale
Solution Definition	<ul style="list-style-type: none">• 2 ThinkSystem SR650 V2 Servers• Software: RedHat Enterprise Linux, IBM Spectrum Scale; Data Access Edition (DAE), Data Management Edition (DME) and Scale Erasure Code Edition (ECE)• 2, 4, 6, 8, 10 Enclosures• Lenovo D3284 12Gb JBOD (5U84) or up to 20 TB NL SAS drives (3.5" form factor)• Lenovo D1224 12Gb JBOD (2U24 or (2.5" form factor) with 24x SSDs (400GB – 7.68TB)• Connectivity 10GbE/25GbE/40GbE/100GbE/FDR IB/EDR IB/HDR100 & HDR - Latest Generation InfiniBand/OPA
Target Market	HPC, Big Data, Cloud, Media & Entertainment, Digital Surveillance
Target Workloads	HPC and Distributed File Systems
Value Proposition	High storage density and I/O performance with superior availability, reliability, and resiliency



For more info see this link
<https://lenovopress.com/lp1538>

LENOVO SHOWCASE

LENOVO EXECUTIVE BRIEFING CENTERS – WHERE INNOVATION NEVER STOPS!

At Lenovo, we believe collaboration is the path to innovation. Come take a peek at the innovative solutions for the datacenter & beyond that enable you to make the most of your data, utilize hybrid cloud environments and maximize the skills within your organization to respond faster to new business demands.

Our Executive Briefing Center in Stuttgart (Germany) provides an interactive environment for discussions based on customized agendas that cater to the specific requirements of the customers and business partners visiting the center.

Equipped to showcase the latest technology, the briefing center offers a range of experiences from one-on-one tailored visits to multi-client seminars, all of which offer the opportunity to:

Share

Discuss specific business challenges, analyze evolving industry trends, and share Lenovo's technology strategy and our broad offering roadmap

Experience

Explore first-hand Lenovo's cutting-edge solutions from device to datacenter and edge, whilst meeting experts from product teams – ready to support you

Prove

Connect with Lenovo and our Technology Partners' experts in-center and remotely and get remote access to Lenovo's infrastructure to test industry leading solutions for your business

Interact

Host educational events for your business, or book in-depth hardware and software demonstrations for your customers

We look forward to welcoming you at our Lenovo Executive Briefing Centers around the world. To explore options that best suit your unique requirements and schedule a client briefing, please contact your Lenovo Sales Team.

LENOVO SERVICES

Maximize your ROI with award-winning services that ensure you have the best solution for every stage of your IT lifecycle

Lenovo offers a comprehensive portfolio of services that support the full lifecycle of a customer's Lenovo IT assets with support at every stage; plan, fulfil, deploy, support, optimise, and end of life. With Lenovo Professional Services expertise we can help clients gain the most from their technology investment.

Solution Services

From the simple to the complex, our experts work with you to find the right solution for your one-of-a-kind strategic and business needs.

- Assessment Services.
- Design Services.

Implementation Services

Accelerate your time to productivity so you can focus on taking care of your customers and growing your business.

- Hardware Installation.
- Deployment Service.
- Factory Integrated Service.

Support Services

Around the world and around the clock, our experts are standing by 24x7 to safeguard your IT investment.

- Premier Support.
- Preconfigured Support.
- Managed Services.
- Technical Account Manager.
- Enterprise Server Software Support.

For more information on Lenovo Services please visit <http://www.lenovo.com>.

INFRASTRUCTURE SERVICES LIFECYCLE

From the Edge to the Data Center

Lenovo Infrastructure Services offers a complete range of service offerings for all your IT needs, from your data center to your edge infrastructure, and encompassing the full lifecycle of your IT equipment, from discovery and design, through to equipment retirement.

Lenovo

TECHNOLOGY AREAS

- Hybrid Cloud
- Data & Analytics
- HPC & Data Center Cooling
- Virtualization & VDI

2. DESIGN

- Solution Architecture
- Capacity Planning
- Best Recipe Development

1. DISCOVER

- Workshop
- Assessment

3. IMPLEMENT

- Hardware Installation
- Migration
- Deployment

4. SUPPORT

- Warranty Upgrade/Extension
- Premier Support
- Technical Account Manager
- Enterprise Server Software
- Your Drive Your Data

5. OPTIMIZE

- Managed Services
- Firmware/Best Recipe Update
- Preventative Maintenance
- Health Check

6. RETIRE

- Hardware Deinstallation
- Asset Recovery
 - Recycling/Disposal
 - Data Sanitization
 - Drive Destruction



With our underlying Lenovo TruScale Infrastructure Services, you have the option to implement solutions with an as-a-Service, pay-as-you-go model and take advantage of cloud like functionality with all the control and security of an on-premise solution.

For services availability in respective markets contact your Lenovo Sales Representative. For more information, visit lenovo.com/datacenterservices

Introducing a truly global Everything-as-a-Service model

From the Data Center to the Pocket, Lenovo offers a complete portfolio of IT solutions under the new TruScale “as a Service” umbrella.

One solution, one provider, one contract and one single point of accountability.



Infrastructure As A Service

Think Agile Hyper Converged Infrastructure
ThinkSystem Certified Nodes
ThinkSystem Storage

- Enterprise applications
- File sharing
- VDI Solutions
- General purpose VMs
- Local or Wide-Area Network



Device As A Service

World-class Devices
Lifecycle Support
Modern IT Outcomes

- Refresh Planning
- Configuration
- Advanced Deployment
- Security & Endpoint Management
- Application updates
- Device recovery/retirement

IoT | Cloud | PC | Phone | Network | Data Center

Lenovo TruScale simplifies management and powers up IT from end to end



One provider

Plan, procure and run your entire infrastructure simply, with a single point of global accountability and predictable costs.



IT on demand

Technology for the modern workplace, scaling and continuously optimizing to deliver the performance you need.



Constant ROI

No upfront capital costs for anything and a completely flexible, cloud like consumption model, deployed behind the firewall.



Absolute control

Real-time insights that help drive efficiency, with less time in the weeds and more time for the big picture.



Secure by nature

Lenovo's foundational security approach protects everything, everywhere, all the time.

Let your IT scale with your business

With the new TruScale offer, the entire Lenovo portfolio is available as-a-service, from a single source. Lenovo TruScale simplifies the procurement, deployment and management of modern IT infrastructures. It gives you the flexibility, security and control you need to deliver the performance and capabilities that drive growth and competitive advantage.

Talk to your Lenovo Representative today,
or visit: techtoday.lenovo.com/truscale

Lenovo
ThinkSystem

Lenovo
ThinkAgile

To learn more about Lenovo server, storage and enterprise services portfolio, contact your Lenovo representative or Business Partner, or visit lenovo.com/data_center and lenovopress.com

Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. Product images shown are not to scale. Warranty: For a copy or applicable warranties, write to: Warranty Support Dept., EMEA Services, Lenovo, Einsteinova 21, 851 01 Bratislava, Slovakia. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, System x, ThinkServer, ThinkSystem, ThinkAgile are trademarks or registered trademarks of Lenovo. AMD, and the AMD Arrow logo, AMD EPYC™ and combinations thereof are trademarks of Advanced Micro Devices, Inc. Other company products and service names may be trademarks or service marks of others. Ultrabook, Celeron, Celeron Inside, Core Inside, Intel, Intel Logo, Intel Atom, Intel Atom Inside, Intel Core, Intel Inside, Intel Inside Logo, Intel vPro, Itanium, Itanium Inside, Pentium, Pentium Inside, vPro Inside, Xeon, Xeon Phi, and Xeon Inside are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

© 2022 Lenovo. All rights reserved.

Visit www.lenovo.com/lenovo/us/en/safecomp.html periodically for the latest information on safe and effective computing.

To learn more about Lenovo server, storage and enterprise services portfolio, contact your Lenovo representative or Business Partner, or visit lenovo.com/data_center and lenovopress.com



Please Recycle